





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	H	REVISED PER ECO-18-009360	15JUN2018	AP	DG



P.C.B LAYOUT

PRAT NUMBER	No. of Contact	A ±0.20	B ±0.20	C ±0.20	D
2301845-1	15	24.76	33.32	39.14	19.39

NOTE:

1. MATERIAL:
HOUSING: PBT WITH 20% GF UL 94 V-0, BLACK COLOR
CONTACTS: PHOSPHOR BRONZE.
SHELL:STEEL
GROUNDING BRACKET: BRASS
RIVETED INSERT: BRASS
SCREWLOCK: BRASS
2. FINISH:
CONTACTS:0.36 μm [15 μ"] GOLD IN CONTACT AREA.
2.54 μm [100μ"] MATTE TIN ON SOLDER TAILS
1.27 μm [50 μ"] NICKEL UNDERPLATE OVERALL
SHELL: 2.54 μm [100μ"] NICKEL
RIVET: 1.27 μm [50 μ"] NICKEL
SCREWLOCK: 1.27 μm [50 μ"] NICKEL
BOARDLOCK: 1.27μm [50μ"] MIN NICKEL UNDERPLATE.
2.54μm [100μ"] MIN MATTE TIN PLATE
3. WAVE SOLDER CAPABLE TO 265°C PER TE TEST SPEC. 109-202, CONDITION B.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0	PLC	±	-
1	PLC	±	0.38
2	PLC	±	0.25
3	PLC	±	0.10
4	PLC	±	-
ANGLES		±	2°

DWN
AJITH PAI
07FEB2017

CHK
DAN GORENC
07FEB2017

APVD
-
07FEB2017

PRODUCT SPEC
108-130013

APPLICATION SPEC
-

WEIGHT
0

CUSTOMER DRAWING

15W D SKT W B/L & 4-40 INSERTS

DESCRIPTION

TE Connectivity

NAME
15 WAY D-SUB SOCKET WITH BOARD LOCK

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-2301845

RESTRICTED TO
-

SCALE
2:1

SHEET
1 of 4

REV
H

2301845-1

TE PART NO





THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



P.C.B LAYOUT

PRAT NUMBER	No. of Contact	A ±0.20	B ±0.20	C ±0.20	D
2301845-2	15	24.76	33.32	39.14	19.39

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AJITH PAI 07FEB2017		 TE Connectivity			
		CHK DAN GORENC 07FEB2017					
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD — 07FEB2017		NAME	
		0 PLC ± —		PRODUCT SPEC		15 WAY D-SUB SOCKET WITH BOARD LOCK —	
		1 PLC ± 0.38		108-130013			
		2 PLC ± 0.25		APPLICATION SPEC			
		3 PLC ± 0.10		—			
4 PLC ± —		ANGLES ± —		SIZE		CAGE CODE	
MATERIAL		FINISH		WEIGHT		DRAWING NO	
—		—		0		RESTRICTED TO	
				A2		00779	
				CUSTOMER DRAWING		C=2301845	
						SCALE	
						2:1	
						SHEET	
						2 of 4	
						REV	
						H	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - By -

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

D

C






C

B


B

A

A




DETAIL A



DETAIL A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AJITH PAI 07FEB2017		 TE Connectivity				
		CHK DAN GORENC 07FEB2017						
DIMENSIONS: mm		APVD — 07FEB2017		NAME 15 WAY D-SUB SOCKET WITH BOARD LOCK —				
		PRODUCT SPEC 108-130013						
		APPLICATION SPEC —						
MATERIAL —		WEIGHT 0		SIZE A2	CAGE CODE 00779	DRAWING NO C=2301845	RESTRICTED TO —	
FINISH —		CUSTOMER DRAWING				SCALE 3:1	SHEET 3 of 4	REV H

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



15.438	13.418	70	16	1120	2301845-2
13.422	11.402	70	16	1120	2301845-1
GROSS WEIGHT (Kg)	NET WEIGHT (Kg)	PCS/TRAY	TRAYS /CARTON	QUANTITY Pcs	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AJITH PAI 07FEB2017	 TE Connectivity				
		CHK DAN GORENC 07FEB2017					
DIMENSIONS: mm		APVD — 07FEB2017	NAME 15 WAY D-SUB SOCKET WITH BOARD LOCK —				
		PRODUCT SPEC 108-130013					
		APPLICATION SPEC —	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
		WEIGHT 0	A2	00779	C=2301845	—	
		CUSTOMER DRAWING					SCALE 1:1
MATERIAL —		FINISH —					