


PRODUCT PARTNUMBER  
10142333-1XXXXXLF



Amphenol  
FCi


© 2016 AFCI

spec ref	-	dr	Cheong, Matthe	2017/09/18	projection	mm	size	A3	scale	1:1	
tolerance std	ISO 406 ISO 1101	eng	Cheong, Matthe	2018/09/11			ecn no	ELX-S-31215-1			
surface	linear	chr	-	-			rel level	Released			
		appr	Koon-Poh Tay	2018/09/24	product family	-	dwg no	10142333		rev	C
	angular				cat. no.	-	Product - Customer Drw	sheet 1 of 4			

TOLERANCES UNLESS OTHERWISE SPECIFIED			
0.X	±0.3		
0.XX	±0.20		
0.XXX	±0.1		
ISO 1302	angular 0° ±2°		

**Amphenol  
FCi**

PCI EXPRESS 4.0  
TH Type Ass'y




← I/O PANEL DIRECTION  
RECOMMENDED PCB LAYOUT


DIMENSIONS					
POSITION	A	B	C	E	H
36	6.00	7.65	9.15	6.00	25.00
64	20.00	21.65	23.15	20.00	39.00
98	37.00	38.65	40.15	37.00	56.00
164	70.00	71.65	73.15	70.00	89.00

spec ref -		dr <b>Cheong, Matthe</b>	2017/09/18	projection	mm	size A3	scale 1:1
tolerance std ISO 406 ISO 1101		TOLERANCES UNLESS OTHERWISE SPECIFIED				ecn no ELX-S-31215-1	
surface -		eng <b>Cheong, Matthe</b>	2018/09/11			product family -	
linear 0.X ±0.3 0.XX ±0.20 0.XXX ±0.1 angular 0° ±2°		<b>Amphenol FCI</b> PCI EXPRESS 4.0 TH Type Ass'y		cat. no. -		Product - Customer Drw	
ISO 1302		appr <b>Koon-Poh Tay</b> 2018/09/24		dwg no 10142333		rev <b>C</b>	

CONNECTOR LINK WIDTH	POSITION	N	DIM "G"	DIM "F"	PIN "L"
X1	36	6	8.15	6.00	B17
X4	64	20	22.15	20.00	B31
X8	98	37	39.15	37.00	B48
X16	164	70	72.15	70.00	B81



← I/O PANEL DIRECTION  
PRIMARY (COMPONENT) SIDE



I/O PANEL DIRECTION →  
SECONDARY (COMPONENT) SIDE

Amphenol  
FCi

© 2016 AFCI

spec ref	-	dr	Cheong, Matthe	2017/09/18	projection	mm	size	A3	scale	1:1
tolerance std	ISO 406 ISO 1101	eng	Cheong, Matthe	2018/09/11			ecn no	ELX-S-31215-1		
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-			rel level	Released		
surface	linear	appr	Koon-Poh Tay	2018/09/24	product family	-	cat. no.	-	Product - Customer Drw	sheet 3 of 4
	angular									
	0.X	±0.3	<b>Amphenol FCI</b>		PCI EXPRESS 4.0 TH Type Ass'y		dwg no 10142333		rev <b>C</b>	
	0.XX	±0.20								
	0.XXX	±0.1								
	0°	±2°								

