


| REV. | DATE | DESCRIPTION |
|------|----------|-----------------|
| NC | 06/08/06 | INITIAL RELEASE |



NOTE:
 1) TESTING VALUE VSWR 1.2 MAX. AT 0.3 MHZ~1 GHZ
 2) RESISTOR 0.5% - 1 WATT

| QTY | FINISH | MATERIAL | DESCRIPTION |
|-----|---------|----------|-------------|
| 1 | NICKEL | BRASS | BODY |
| 1 | NATURAL | TEFLON | INSULATOR |
| 1 | GOLD | BRASS | CONTACT PIN |

| APPROVALS | DATE |
|-----------|----------|
| G.R.S. | 06/08/06 |

| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS (DIMENSIONS IN PARENTHESIS ARE IN INCHES) AND FOR CUSTOMER TOLERANCE ONLY. |
|--|
| UNLESS OTHERWISE SPECIFIED TOLERANCES FOR MILLIMETERS ARE: 0.5 - 8mm ± 0.20mm 8 - 30mm ± 0.40mm 30 - 120mm ± 0.50mm |
| UNLESS OTHERWISE SPECIFIED TOLERANCES FOR INCHES ARE: .020 - .315 = ± 0.007" .315 - 1.180 = ± 0.015" 1.180 - 4.724 = ± 0.020" |

| DO NOT SCALE DRAWING |
|----------------------------------|
| CAD FILE C:/202/202113-10.DWG |

| PART DESCRIPTION | PART NO. | DWG. NO. | REV. | NC | SIZE | SCALE |
|---|-----------|---------------|------|----|------|-------|
| Amphenol Connex BNC TERMINATOR PLUG W/ CHAIN (50 ohms) | 202113-10 | 202113-10.DWG | NC | | A | NA |