






2110069-1  
SCALE 4:1


2110069-1  
PART  
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 2 M REAM 16JAN2009 CHK M R SCHMITT 16JAN2009 APP'D B H WERTZ 16JAN2009		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		1 P L/C $\pm 0.1$ 2 P L/C $\pm 0.1$ 3 P L/C $\pm 0.1$ 4 P L/C $\pm 0.1$ ANGLES $\pm 1^{\circ}0'$		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120	
MATERIAL		FINISH		SIZE CAGE CODE DRAWING NO A100779C2110069	
				RESTRICTED TO	
CUSTOMER DRAWING					
				SCALE 5:1 SHEET 1 OF 4 REV A	


LOC		DIST		REVISIONS			
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




RECOMMENDED BEZEL CUT-OUT  
SINGLE SIDED APPLICATIONS



RECOMMENDED BEZEL CUT-OUT  
BELLY TO BELLY APPLICATIONS



2110069-1  
MOUNTED ON PC BOARD  
SHOWN THRU RECOMMENDED BEZEL



2110069-1  
MOUNTED BELLY TO BELLY ON PC BOARD  
SHOWN THRU RECOMMENDED BEZEL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Z.M. REAM 16JAN2009	TE Connectivity	
DIMENSIONS:		CHK M.R. SCHMITT 16JAN2009		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD R.H. WERTZ 16JAN2009	NAME	
	0 PLC ±0.1	PRODUCT SPEC	SFP+ 1X4 CAGE ASSEMBLY	
	1 PLC ±0.1	108-2364	PRESS-FIT, EXTERNAL EMI SPRINGS	
	2 PLC ±0.1	APPLICATION SPEC	W/ REDUCED LENGTH LIGHT PIPE	
MATERIAL	3 PLC ±0.1	114-13120	SIZE	
	4 PLC ±0.1	WEIGHT	A100779C=2110069	
FINISH		CUSTOMER DRAWING	RESTRICTED TO	
		SCALE 5:1	SHEET 2 OF 4	
			REV A1	

