


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			D1	REVISED PER ECO-11-005033	22MAR11	RK	HMR



PIN ASSIGNMENT :

DB9 F.	1	2	3	4	5	6	7	8	9	Shell
										Drain
DB9 M.	1	2	3	4	5	6	7	8	9	Shell

621808-2	120.0 ^{+6.00} / _{-2.00}	10	2 OHM MAX
621808-1	72.0 ^{+6.00} / _{-2.00}	6	1 OHM MAX
PART NO.	"L" LENGTH	LABEL XX'	CONTINUITY RESISTANCE

NOTES:

- PACKAGED IN CTG STANDARD PRINTED ZIPLOCK POLYBAG.
- LABEL INFORMATION AS FOLLOWS:

621808-XX
1938943000A
- TEST REQUIREMENT:
 CONTINUITY RESISTANCE: SEE TABLE.
 INSULATION RESISTANCE: 50 M ohm MIN.
 HI-POT TEST: DC 300V/0.01 Sec MIN.
- PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE CONNECTIVITY ENVIRONMENTAL STANDARD 230-702.

1	PC	DB9 FEMALE, SOLDER TYPE, CONTACT: GOLD FLASH, SHELL: NICKEL PLATED, INSULATION COLOR: BLACK. RoHS.	9
1	PC	LABEL, SIZE: 25.0*35.0MM, WHITE: 25.0*13.0MM.	8
AR	MR	UL2464 9C*28AWG+AL/FOIL+DRAIN, COLOR: BEIGE.	7
2	PC	#4-40 THUMBSCREW.	6
AR	KG	MOLDED PVC, 30P, COLOR: BEIGE.(BG01).	5
AR	MR	HEAT SHRINK TUBING, 1.5MM, COLOR: BLACK.	4
AR	KG	OVER MOLD PVC, 40P, COLOR: BEIGE.(BG01).	3
AR	KG	INNER MOLD PE	2
1	PC	DB9 MALE, SOLDER TYPE, CONTACT: GOLD FLASH, SHELL: NICKEL PLATED, INSULATION COLOR: BLACK. RoHS.	1
QTY	U/M	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	11-19-96	TE Connectivity CABLE ASSY, DB9 FEMALE TO MALE, OVERMOLDED											
DIMENSIONS: INCHES		CHK	8JUN06												
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	8JUN06												
<table border="1"> <tr> <td>0 PLC</td> <td>± -</td> </tr> <tr> <td>1 PLC</td> <td>± -</td> </tr> <tr> <td>2 PLC</td> <td>± -</td> </tr> <tr> <td>3 PLC</td> <td>± -</td> </tr> <tr> <td>4 PLC</td> <td>± -</td> </tr> <tr> <td>ANGLES</td> <td>± -</td> </tr> </table>		0 PLC	± -				1 PLC	± -	2 PLC	± -	3 PLC	± -	4 PLC	± -	ANGLES
0 PLC	± -														
1 PLC	± -														
2 PLC	± -														
3 PLC	± -														
4 PLC	± -														
ANGLES	± -														
MATERIAL	FINISH	PRODUCT SPEC	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO								
-	-	APPLICATION SPEC	-	A3	00779	C-621808	-								
CUSTOMER DRAWING				WEIGHT	-	SCALE	1:1								
				SHEET		1 OF 1	REV								
						D1									