




LOC	DIST	REVISIONS							
		P	LTR	DESCRIPTION	DATE	DWN	APVD		
			C	REVISED ECO-16-010873	15DEC15	JL	IY		
			C1	REVISED ECO-16-011243	15AUG16	JL	IY		
			C2	REVISED ECO-17-016624	06DEC17	DD	EJ		
			C3	REVISED ECO-18-016296	15DEC2018	DD	EJ		



SCALE 3:2

NOTES

1. FINAL TEST: VISUAL INSPECTION FOR COMPLETENESS

2. LAYER PACKING WITH CORRUGATED

3. MUST MEET TOUCH SAFE REQUIREMENT PER IEC 60529


4. RECOMMENDED TIGHTENING TORQUE OF THE SCREW: M8=10±1NM.

5. USABLE 2P MOS SOCKET HOUSING P/N:1-1718333-1


6. CODING AREA

7. MIN SEALING AREA AROUND, NO BURR, TOOLING PARTING, SHRINKAGE PERMITTED, SURFACE QUALITY: Ra<=0.8um



8. V0 MAIRKING ONLY FOR V0 PART,P/N:3-2137740-*



C - C









A - A



(0-)*-1
3-* -1 AS SHOWN.









THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG	08NOV11	TE Connectivity	
				CHK	N. ZHOU	08NOV11		
				APVD	K. QDA	08NOV11	NAME	
				PRODUCT SPEC			HVP1100 1POS HEADER ASSY	
				APPLICATION SPEC			-	
				CUSTOMER DRAWING			SCALE	
							2:1	
							SHEET	
							1	
							OF	
							5	
							REV	
							C3	

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION			DATE	DWN	APVD
-	-	SEE SHEET 1			-	-	-
-	-				-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG	08NOV11	TE Connectivity	
				CHK	N. ZHOU	08NOV11		
DIMENSIONS:				APVD	K. QDA	08NOV11	NAME	
mm				PRODUCT SPEC			HVP1100 1POS HEADER ASSY	
				APPLICATION SPEC			SIZE	
				APPLICATION SPEC			CAGE CODE	
				APPLICATION SPEC			DRAWING NO	
				APPLICATION SPEC			RESTRICTED TO	
				APPLICATION SPEC			A100779C=2137740	
				APPLICATION SPEC			SCALE	
				APPLICATION SPEC			2:1	
				APPLICATION SPEC			SHEET	
				APPLICATION SPEC			2	
				APPLICATION SPEC			OF	
				APPLICATION SPEC			5	
				APPLICATION SPEC			REV	
				APPLICATION SPEC			C3	
				APPLICATION SPEC			CUSTOMER DRAWING	

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-		SEE SHEET 1		-	-	-	





2-* -1 AS SHOWN.



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG	08NOV11	 TE Connectivity						
				CHK	N. ZHOU	08NOV11							
				APVD	K. ODA	08NOV11							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		HVP1100 1POS HEADER ASSY							
mm				PRODUCT SPEC		-							
		0-PLC ±0.3		APPLICATION SPEC									
		1-PLC ±0.5		108-101010									
		2-PLC ±0.13											
		3-PLC ±0.075											
		4-PLC ±0.0001											
ANGLES		±1°		114-101010									
MATERIAL		FINISH		WEIGHT		SIZE		CASE CODE		DRAWING NO		RESTRICTED TO	
						A100779		C=2137740					
CUSTOMER DRAWING				SCALE		2:1		SHEET		3 OF 5		REV C.3	

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
-		SEE SHEET 1			-	-	-	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. WANG	08NOV11	TE Connectivity	
DIMENSIONS:		CHK N. ZHOU	08NOV11		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD K. ODA	08NOV11	NAME	HVP1100 1POS HEADER ASSY
	0-PLC	±0.3		PRODUCT SPEC	
	1-PLC	±0.5		108-101010	
	2-PLC	±0.75		APPLICATION SPEC	
	3-PLC	±0.013		114-101010	
MATERIAL		FINISH		SIZE	CAGE CODE
				DRAWING NO	RESTRICTED TO
				100779	
				C=2137740	
				CUSTOMER DRAWING	
				SCALE	2:1
				SHEET	4
				OF	5
				REV	C3

