


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		FCI	
ltr	ecn no	dr	date					projection		title	www.fciconnect.com
A	V61698	RDS	11/13/98	linear	.X±.3			MM		SCA-2 & FIBER CHANNEL	
B	V71849	SAR	1/15/98		.XX±.13					40 POS. RECEPT. ASS'Y	
C	V00523	EPK	3/22/00	angles	.XXX±.051			scale		product family	code
D	V20316	MEM	2/11/02	dr	0°±2°			2:1		SCA-2	213
E	V20497	CRG	3/18/02	enrg						size	dwg no
F	V03-0275	TAB	4/07/03	chr						A	71781
G	S05-0001	GLL	1/04/05	appd							sheet
sheet	revision	G	G	G	G						1 of 4
index	sheet	1	2	3	4						

cage code
22526

ACAD

PDM: Rev:G


STATUS: Released

Printed: Mar 11, 2011

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



SECTION A-A

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com		
ltr	ecn no	dr	date	linear	.X±.3		projection 	title SCA-2 & FIBER CHANNEL 40 POS. RECEPT. ASS'Y			
G					.XX±.13						
					.XXX±.051						
				angles	0°±2°		 MM	product family		SCA-2	code
				dr	P. PARSONS	3/5/96		size	dwg no	71781	213
				enrg	J. DAVID	3/5/96					
				chr	GL L00	1/04/05					
				appd	JOEY NG	1/04/05	scale	A	sheet 2 of		
							3:1				
sheet index		revision sheet									

cage code
22526

ACAD

PDM: Rev:G

STATUS:Released

Printed: Mar 11, 2011

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

1		2		3		4	
PRODUCT NO.	"A" DIM	POLARIZATION PEG	RECOMMENDED P.C. BOARD THICKNESS	PLATING	CONTACT POSITIONS		
71781-001LF	2.79	YES	1.57mm (0.062")	SEE NOTE 9	SEE NOTE 2		
-002LF	2.79	NO					
-003LF	3.18	YES					
-004LF	3.18	NO					
-005LF	4.06	YES					
-006LF	4.06	NO					
71781-007LF	3.18	YES	2.36mm (0.093")	SEE NOTE 9	SEE NOTE 7		
71781-101LF	2.79	YES	1.57mm (0.062")	SEE NOTE 8	SEE NOTE 2		
-102LF	2.79	NO					
-103LF	3.18	YES					
-104LF	3.18	NO					
-105LF	4.06	YES					
71781-106LF	4.06	NO					
NOTES :							
⑧ CONTACT PLATING: 30u" (0.76um) MIN. GOLD PLATING OVER 50u" (1.27um) NICKLE MIN. UNDERPLATE IN CONTACT AREA. 100u" (2.54um) - 200u" (5.08um) TIN PLATING OVER 50u" (1.27um) - 100u" (2.54um) NICKEL UNDERPLATE IN P.C. BOARD LEG AREA. 50u" (1.27um) NICKEL UNDERPLATE OVER REMAINING AREA.							
⑨ CONTACT PLATING: 30u" (0.76um) MIN. GXT PLATING OVER 50u" (1.27um) NICKLE MIN. UNDERPLATE IN CONTACT AREA. 100u" (2.54um) - 200u" (5.08um) TIN PLATING OVER 50u" (1.27um) - 100u" (2.54um) NICKLE UNDERPLATE IN P.C. BOARD LEG AREA. 50u" (1.27um) NICKLE UNDERPLATE OVER REMAINING AREA.							
⑩ THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.57mm MINIMUM THICK CIRCUIT BOARD.							
⑪ THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.							

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X±.3		projection	title	
G					.XX±.13			SCA-2 & FIBER CHANNEL	
					.XXX±.051			40 POS. RECEPT. ASS'Y	
				angles	0°±2°		⊕ MM scale 2:1	product family SCA-2	
				dr	P. PARSONS	3/5/96		code	
				engr	J. DAVID	3/5/96		213	
				chr	GL LOO	1/04/05	A	sheet	
				appd	JOEY NG	1/04/05		4 of 4	
sheet index	revision sheet								

NOTES :

- ⑧ CONTACT PLATING: 30u" (0.76um) MIN. GOLD PLATING OVER 50u" (1.27um) NICKLE MIN. UNDERPLATE IN CONTACT AREA. 100u" (2.54um) - 200u" (5.08um) TIN PLATING OVER 50u" (1.27um) - 100u" (2.54um) NICKEL UNDERPLATE IN P.C. BOARD LEG AREA. 50u" (1.27um) NICKEL UNDERPLATE OVER REMAINING AREA.
- ⑨ CONTACT PLATING: 30u" (0.76um) MIN. GXT PLATING OVER 50u" (1.27um) NICKLE MIN. UNDERPLATE IN CONTACT AREA. 100u" (2.54um) - 200u" (5.08um) TIN PLATING OVER 50u" (1.27um) - 100u" (2.54um) NICKLE UNDERPLATE IN P.C. BOARD LEG AREA. 50u" (1.27um) NICKLE UNDERPLATE OVER REMAINING AREA.
- ⑩ THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.57mm MINIMUM THICK CIRCUIT BOARD.
- ⑪ THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY	 FCI www.fciconnect.com			
ltr	ecn no	dr	date	linear	.X±.3				projection 		
G					.XX±.13						
					.XXX±.051						
				angles	0°±2°				 MM scale 2:1		
				dr	P. PARSONS	3/5/96				product family SCA-2	code 213
				enrg	J. DAVID	3/5/96					
				chr	GL L00	1/04/05				A	71781
				appd	JOEY NG	1/04/05					
sheet index	revision sheet										

cage code
22526

ACAD

PDM: Rev:G

STATUS:Released

Printed: Mar 11, 2011