



PRODUCT NO.	ROWS	POWER			SIGNAL				
		E1	P1	P2	1	2	3	4	E2
51732-092LF	DCBA		PA	PA	UH	UH	UH	UH	
									






CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
E	[5.59]	SIGNAL
R	[6.86]	SIGNAL
H	[5.59]	SIGNAL
PA	[N/A]	POWER
HA	[N/A]	HOLD-DOWN


spec ref *		dr Ruan MT 2015/12/17		projection	MM	size A4	scale 1:1	
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng Ruan MT 2016/01/07			ecn no -		
			chr Fancy Zhang 2016/01/06			rel level Released		
			appr Pei-Ming Zheng 2016/01/07			product family PwrBlade		
surface	linear	0.X	±0.5		title 2P + 16S RIGHT ANGLE STB HEADER	dwg no 51732-092	rev A	
		0.XX	±0.25					
		0.XXX	±0.1					
	ASME Y14.5	angular	0°					±2°

PrintE File - REV C - 2009-06-09

PRODUCT NUMBER


51732-092LF



dr	Ruan MT	2015/12/17	projection 	MM 	size	A4	scale	1:1
eng	Ruan MT	2016/01/07			ecn no	-		
chr	Fancy Zhang	2016/01/06			rel level	Released		
appr	Pei-Ming Zheng	2016/01/07	product family		PwrBlade			
		title			2P + 16S		rev	
					RIGHT ANGLE STB HEADER		A	
					dwg no		51732-092	
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 2 of 4

PRODUCT NUMBER

51732-092LF



dr	Ruan MT	2015/12/17	projection	MM	size	A4	scale	1:1	
eng	Ruan MT	2016/01/07			ecn no	-			
chr	Fancy Zhang	2016/01/06			rel level	Released			
appr	Pei-Ming Zheng	2016/01/07			product family		PwrBlade		
			title		2P + 16S		dwg no		rev
			RIGHT ANGLE STB HEADER		51732-092		A		
www.fci.com			cat. no.		-		Product - Customer Drw		sheet 3 of 4



Copyright FCI.

PRODUCT NUMBER
51732-092LF

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. SEE FCI PLATING SPEC 10064183.
- 4. MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON
THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH
SPACE ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.

PCB NOTES:

- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
- 10. CONNECTOR KEEP-OUT ZONE.
- 11. DATUM AND BASIC DIMENSIONS ARE ESTABLISHED BY CUSTOMER.

dr	Ruan MT	2015/12/17	projection	MM	size	A4	scale	1:1			
eng	Ruan MT	2016/01/07			ecn no	-					
chr	Fancy Zhang	2016/01/06									
appr	Pei-Ming Zheng	2016/01/07	product family		PwrBlade	rel level	Released				
		title			2P + 16S	dwg no		51732-092	rev	A	
www.fci.com		cat. no.			-	Product - Customer Drw			sheet 4 of 4		