

## Cable gland - HC-D-G-M25-PLRBK - 1411351

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



EVO plastic cable gland with bayonet locking, for housing series D, size M25, cable diameter: 9 - 17 mm.

### Product Features



### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 40.0 GRM |
| Custom tariff number                 | 39269097 |
| Country of origin                    | Poland   |

### Technical data

#### Dimensions

|                         |                |
|-------------------------|----------------|
| Wrench size, union nut  | 26 mm          |
| External cable diameter | 9 mm ... 17 mm |

#### Ambient conditions

|                                 |                      |
|---------------------------------|----------------------|
| Degree of protection            | IP66 (DIN IEC 60529) |
| Ambient temperature (operation) | -40 °C ... 100 °C    |

#### General

|                              |           |
|------------------------------|-----------|
| Type of the screw connection | 1x M25    |
| Material                     | PA        |
| Cable gland material         | Polyamide |
| Material, pressure screw     | PBT       |
| Seal material                | NBR       |
| Cable seal material          | NBR       |
| Shielded                     | No        |

# Cable gland - HC-D-G-M25-PLRBK - 1411351

## Technical data

### General

|                                         |                   |
|-----------------------------------------|-------------------|
| Thread type on connection side          | Bayonet D plastic |
| Thread type on seal side                | M25               |
| Tightening torque, union nut            | 5.00 Nm           |
| Inflammability class according to UL 94 | V0 / V2           |

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27143424 |
| eCl@ss 8.0 | 27149109 |

### ETIM

|          |          |
|----------|----------|
| ETIM 4.0 | EC000441 |
| ETIM 5.0 | EC000441 |

## Approvals

### Approvals

#### Approvals

#### EAC

#### Ex Approvals

#### Approvals submitted


### Approval details

|     |
|-----|
| EAC |
|-----|

## Drawings

## Cable gland - HC-D-G-M25-PLRBK - 1411351

Dimensional drawing



Dimensional drawing

---

Phoenix Contact 2015 © - all rights reserved  
<http://www.phoenixcontact.com>