# **GS2AH140**





### Main

| Range of product          | TeSys         |
|---------------------------|---------------|
| Device short name         | GS2AH         |
| Product or component type | Rotary handle |
| Handle colour             | Red           |
| Handle front plate colour | Yellow        |

## Complementary

| Type of operating handle | External frontal      | _ |
|--------------------------|-----------------------|---|
| Marking                  | O-I                   |   |
| Rotary handle padlocking | With                  |   |
| Product compatibility    | GS                    |   |
| Line Rated Current       | 100 A                 |   |
|                          | 200 A                 |   |
|                          | 30 A                  |   |
|                          | 400 A                 |   |
|                          | 60 A                  |   |
| Product weight           | 0.53 lb(US) (0.24 kg) | _ |

### **Environment**

| standards                 | CSA<br>UL  |
|---------------------------|------------|
| NEMA degree of protection | NEMA 3R/12 |

### Offer Sustainability

| Green Premium product   | Green Premium product   | i.             |
|---|---|----------------|
| Compliant - since 0844 - Schneider Electric declaration of conformity | Compliant - since 0844 - Schneider Electric declaration of conformity | _ ::           |
| Reference not containing SVHC above the threshold                     | Reference not containing SVHC above the threshold                     | — <del>7</del> |
| Available   | Available   | _ 4            |
| Need no specific recycling operations                                 | Need no specific recycling operations                                 |                |
| WARNING: Cancer - www.P65Warnings.ca.gov                              | WARNING: Cancer - www.P65Warnings.ca.gov                              | _ 5            |