

4		3		2		1					
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION									
COPYRIGHT 2011		ALL RIGHTS RESERVED.									
TE PART NUMBER ASSY CONN.											
NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	VERSIONE PEZZI IN VASSOIO		VERSIONE PEZZI SCIOLTI		POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L +0.2 -0.3 (mm) 8	NOTE MARCHIATURA CON BANDA COLORATA	
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L +0.2 -0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. 16
2		1-282002-1	V	2-282002-1	V	2S 5	1-2	-	9.9	NERO BLACK	02-C
2		1-282002-2	V	2-282002-2	V	1S	1-2	-	9.9	GRIGIO GREY	02-B 02-E 02-F
2		1-282002-3	V	2-282002-3	V	2D	1-2	-	9.9	ROSSO RED	02-L
2		1-282002-4	V	2-282002-4	V	1D 5 2S 5	1-2	-	9.9	BLU BLUE	02-A
2		1-282002-5	V	2-282002-5	V	1D	1-2	-	9.9	NERO BLACK	02-Q
2		1-282002-6	V	2-282002-6	V	-	1-2	-	9.9	NERO BLACK	-
2		1-282002-7	V	2-282002-7	V	-	1-2	-	9.9	-	-
2		1-282002-8	V	2-282002-8	V	1S 2D	1-2	-	9.9	VERDE GREEN	02-B 02-E 02-F
2		2-282002-9	I	-	-	1D 2D	1-2	-	9.9	-	-
2		3-282002-0	I	-	-	1S 1D	1-2	-	9.9	-	-
2		3-282002-4	I	-	-	1D 5 2S 5	1-2	-	9.9	-	02-A
2		5-282002-4	I	-	-	1S 2D	1-2	-	9.9	YELLOW	02-B 02-E 02-F
2		6-282002-0	I	-	-	1S 5 2S 5	1-2	-	9.9	RED	-
3		1-282003-1	V	2-282003-1	V	1D	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I
3		1-282003-2	V	2-282003-2	V	2D 3D	2-3	-	14.9	BLU BLUE	03-B
3		1-282003-3	V	2-282003-3	V	1S 3D	1-2	-	14.9	VERDE GREEN	03-F
3		1-282003-4	V	2-282003-4	V	2D 3D	2-3	-	14.9	ROSSO RED	03-B
3		1-282003-5	V	2-282003-5	V	2D 3D	2-3	-	14.9	GRIGIO GREY	03-B
3		1-282003-6	V	2-282003-6	V	-	1-2	-	14.9	VIOLA VIOLET	-
3		1-282003-7	V	-	-	2D 3D	2-3	-	14.9	NERO BLACK	03-B
3		3-282003-3	I	-	-	1S 1D	1-2	-	14.9	-	-
3		3-282003-4	I	-	-	1S - 2S 2D - 3S	1-2	-	14.9	-	-
3		3-282003-5	I	-	-	1S 3D	2-3	-	14.9	-	-
3		3-282003-6	I	-	-	1S - 1D 2S - 2D	1-2	-	14.9	-	-
3		0-282233-2	V	2-282233-2	V	1S 5	1-2	-	14.9	-	03-D
3		1-284396-1	Z	-	-	2S	2-3	-	14.9	NERO BLACK	-

LOC - DIST -

REVISIONS

SEE SHEET 1

VISTE SOLO PER RIFERIMENTO

VIEWS ONLY FOR REFERENCE

LEGENDA

(DESCRIPTION)

AMP MONO-SHAPE, TAB CONNECTORS (ESEMPIO DI CONFIGURAZIONE) (EXAMPLE OF CONFIGURATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH

MATERIAL SEE TABLE

DWN G. ENDRIZZI 23JUL1995

CHK G. TURCO 23JUL1995

APVD G. TURCO 23JUL1995

PRODUCT SPEC 108-20065-1, 108-20065-2

APPLICATION SPEC 114-20016, 114-20016-1

WEIGHT -

Customer Drawing

SCALE -

SHEET 2 OF 6

REV AA26

TE Connectivity

MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.

DRAWING NO C=282002

RESTRICTED TO -

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995			NAME		MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.	
DIMENSIONS: mm		CHK G. TURCO 23JUL1995						
		APVD G. TURCO 23JUL1995	PRODUCT SPEC		SIZE		CAGE CODE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		108-20065-1, 108-20065-2	APPLICATION SPEC		DRAWING NO		RESTRICTED TO	
0 PLC ± 0.3		114-20016, 114-20016-1	WEIGHT		A260779		C-282002	
1 PLC ±		Customer Drawing	SCALE		SHEET 2 OF 6		REV AA26	
2 PLC ±								
3 PLC ±								
4 PLC ±								
ANGLES ±								
FINISH								
SEE TABLE								
SEE TABLE								

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

VISTE SOLO PER RIFERIMENTO

VIEWS ONLY FOR REFERENCE

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.		POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA			
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. ⑩
4		1-282004-1	V	2-282004-1	V	1D ⑤	1-2 3-4	2D	19.9	GRIGIO GREY	04-A
4		1-282004-2	V	2-282004-2	V	3D ⑤	2-3	-	19.9	NERO BLACK	04-D
4		1-282004-3	V	2-282004-3	V	1D ⑤	1-2 3-4	2D	19.9	ROSSO RED	04-A
4		1-282004-4	S	-	-	3D	1-2	-	19.9	BLU BLUE	-
4		3-282004-4	AA	-	-	4D 1S	3-4 1-2	-	19.9	-	04-A
4	④	4-282004-4	I	-	-	4D 1S-1D-2S-2D 3S-3D-4S-4D AS-BD-CS-DD	3-4 1-2	-	19.9	-	-
5		1-282005-1	V	2-282005-1	V	4D ⑤	4-5	-	24.9	ROSSO RED	-
5		1-284545-1	Z	-	-	2S ⑤	4-5	-	24.9	ROSSO RED	-
5		1-284545-2	A	-	-	1S 5D	- 3-4	3D	24.9	-	-
5		1-284545-3	A	-	-	1S 5D	1-2 3-4	-	24.9	BLU BLUE	-
5		1-293003-5	Z	-	-	-	4-5	-	24.9	NERO BLACK	-
6		1-282006-2	V	2-282006-2	V	2S 5D	2-3	-	29.9	VIOLA VIOLET	-
6		1-282006-3	V	2-282006-3	V	2S - 3D 4D - 5D	4-5	-	29.9	-	-
6		2-282006-4	V	-	-	3D 5D	-	5S	29.9	NERO BLACK	-
6		1-284745-1	Z	-	-	6D ⑤	4-5	-	29.9	ROSSO RED	-
6		1-284745-2	I	-	-	6D ⑤	-	4D	29.9	RED	-
6	④	1-284745-3	I	-	-	5D ⑤	3-4	-	29.9	VIOLET	-
6	④	1-284745-4	I	-	-	1S ⑤	2-3	-	29.9	ORANGE	-
7		1-282007-1	V	2-282007-1	V	1D ⑤ 5D	1-2 5-6	3S	34.9	-	-
7		2-282007-2	V	-	-	4D 6D	-	6S	34.9	VIOLA VIOLET	-
7	④	2-282007-3	I	-	-	1S - 2S - 2D 3S - 3D - 4D 5S - 6S - 6D 7S - 7D	1-2 5-6	-	34.9	-	-
7		3-282007-2	AA	-	-	-	1-2	5S	34.9	-	-
7		1-284397-1	Z	-	-	2D	1-2 5-6	-	34.9	NERO BLACK	-
7		1-293004-7	Z	-	-	-	1-2 5-6	-	34.9	ROSSO RED	-
7	④	2-293004-7	I	-	-	-	1-2 5-6	-	34.9	GRIGIO GREY	-
8		0-284085-1	V	2-284085-1	V	2D - 6S 4D - 6D	-	4S	39.9	-	-
8		0-284085-2	V	2-284085-2	V	-	2-3	-	39.9	VIOLA VIOLET	-

LEGENDA
(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES

±
±
±
±
±
±

>0.3

±

FINISH

SEE TABLE

DWN
G. ENDRIZZI
CHK
G. TURCO
APVD
G. TURCO
PRODUCT SPEC
APPLICATION SPEC
WEIGHT

23 JUL 1995
23 JUL 1995
23 JUL 1995
108-20065-1, 108-20065-2
114-20016, 114-20016-1
--

Customer Drawing

SCALE -

SHEET 3 OF 6

REV AA26

TE Connectivity

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE
A260779

CAGE CODE
C-282002

DRAWING NO


RESTRICTED TO

1471-9 (3/11)

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.				POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI								
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. ⑩
10		1-282010-1	V	2-282010-1	V	6D 8S	4-5 8-9	6S	49.9	-	-
10		0-284004-1	V	-	-	6D 8S	4-5 8-9	6S	49.9	-	-

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	TE Connectivity			
DIMENSIONS: mm		CHK G. TURCO 23JUL1995				
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	APVD G. TURCO 23JUL1995	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.			
		PRODUCT SPEC 108-20065-1, 108-20065-2	SIZE 114-20016, 114-20016-1			
MATERIAL	SEE TABLE	APPLICATION SPEC 114-20016, 114-20016-1	WEIGHT --	SCALE --	SHEET 4 OF 6	RESTRICTED TO - REV AA26
		Customer Drawing				

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

PA GF, UL-VO GWEPT 750° C NO FLAME, NATURAL

		ON TRAY		LOOSE PIECES		SEE SHEET 1 FOR ADDITIONAL DETAILS AND NOTES					
No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE RAST 5 POLARIZ.
2		2293382-2	AA			IS 2D	1-2	-	9.9		02-B 02-E 02-F
2		1-2293382-2	AA			IS 2D	1-2		9.9	GREEN	02-B 02-E 02-F
	2		2-2293382-2	I		ID 2D	1-2	-	9.9		
	2		3-2293382-2	AA		ID 2S	1-2	-	9.9	BLUE	02-A
	2		4-2293382-2	I		IS ID	1-2	-	9.9		
	2		5-2293382-2	I		IS 2D	1-2	-	9.9	GREY	02-B 02-E 02-F
	3		2293382-3	AA		2S	2-3	-	14.9		
	3		1-2293382-3	AA		-	1-2	-	14.9	VIOLET	-
	3		2-2293382-3	AA		ID	1-2	-	14.9	ORANGE	03-A 03-I
	3		3-2293382-3	I		IS ID	1-2	-	14.9		
	3		4-2293382-3	I		ID 2S 2D 3S	1-2	-	14.9		
	3		5-2293382-3	I		IS 3D	2-3	-	14.9		
	3		6-2293382-3	AA		IS ID 2S 2D	1-2	-	14.9		
	3		7-2293382-3	I		IS 3D	1-2		14.9	GREEN	03-F
	4		2293382-4	AA		ID	1-2 3-4	2D	19.9	GREY	04-A
	4		1-2293382-4	AA		IS 4D	1-2 3-4	-	19.9		
	4		2-2293382-4	I		TBD	TBD	TBD	19.9		
	5		2293382-5	AA		-	4-5	-	24.9		
	6		2293382-6	I		TBD	TBD	TBD	29.9		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

0.3
±

SEE TABLE

APVD 23JUL1995 G. TURCO

CHK 23JUL1995 G. TURCO

PRODUCT SPEC 108-20065-1, 108-20065-2

APPLICATION SPEC 114-20016, 114-20016-1

WEIGHT -

Customer Drawing

DWN 23JUL1995 G. ENDRIZZI

NAME

MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.

SIZE A2

CAGE CODE 0779

DRAWING NO C-282002

RESTRICTED TO -

SCALE -

SHEET 5 OF 6

REV AA26

TE Connectivity

TE

1471-9 (3/11)

1471-9 (3/11)

1471-9 (3/11)

1471-9 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC-

DIST-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

PA GF, UL-V0 GWEPT 750° C NO FLAME, NATURAL

		ON TRAY		LOOSE PIECES		SEE SHEET 1 FOR ADDITIONAL DETAILS AND NOTES					
No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE RAST 5 POLARIZ.
10 7		2293382-7	I			-	1-2 5-6	-	34.9		
10 7		2-2293382-7	I			1S 2S 2D 3S 3D 4D 5S 6S 6D 7S 7D	1-2 5-6		34.9		
10 8		2293382-8	I			TBD	TBD	TBD	39.9		
10 9		2293382-9	I			TBD	TBD	TBD	44.9		
10 10		1-2293382-0	I			6D 8S	4-5 8-9	6S	49.9		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

FINISH

SEE TABLE

DWN G. ENDRIZZI 23JUL1995
CHK G. TURCO 23JUL1995
APVD G. TURCO 23JUL1995
PRODUCT SPEC 108-20065-1, 108-20065-2
APPLICATION SPEC 114-20016, 114-20016-1
WEIGHT -

Customer Drawing

SCALE -

SHEET 6 OF 6

REV AA26

TE Connectivity

MONO-SHAPE MKI
TAB CONNECTORS 2-10 POS.

SIZE A260779

CAGE CODE C-282002

DRAWING NO

RESTRICTED TO -

1471-9 (3/11)