




Distanzstück
distance




M / scale 1:1

Bestückungsplan / contact layout



■ = bestückt / assemble

Lochbild für Leiterplatte board hole pattern
(Bestückungsseite) (component mounting side)



- 1) $\phi 0.6 \pm 0.05$ Durchmesser des metallisierten Loches
 $\phi 0.6 \pm 0.05$ Diameter of finished plated-through hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 164062 Nr.1
 Metal plating of plated-through hole according to 164062 No.1

Fehlende Maße und Angaben nach IEC 61076-4-101
 Missing information and dimensions per IEC 61076-4-101

Information: Distanzstück H=3.1 / distance H=3.1 Anforderungsstufe 2 / class 2 All rights reserved. Only for Information. To ensure that this is the latest version of this drawing, please contact one of the ERNI companies before using. <small>Copyright by ERNI Production GmbH & Co. KG Proprietary notice pursuant to ISO 14016 to be observed.</small>	Tolerances Subject to modification without prior notice. Drawing will not be updated. www.ERNI.com	Scale 2:1 All Dimensions in mm	Designation ERmet-FS Federleiste A <i>ERmet-Female Straight Type A</i> 114009 I A3
		Index b	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[ERNI Electronics:](#)

[114009](#)