



Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

- Product Name** • **Battery pack containing sealed lead acid batteries**
- Synonyms** • Battery pack or accumulator pack contain Maintenance Free Battery or Valve Regulated Battery
- Product Description** • Battery pack is a manufactured article consisting of a plastic and metal sealed case containing one or more sealed lead acid battery connected by wires.

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)** • Electric Storage Battery
- Use(s) advised against** • Transportation

1.3 Details of the supplier of the safety data sheet

- Manufacturer** • APC by Schneider Electric
132 Fairgrounds Road
West Kingston, RI 02892
United States
www.APC.com
- Telephone (General)** • 800-788-2208 or 401-789-5735

1.4 Emergency telephone number

- Manufacturer** • 800-788-2208

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

- CLP**
- Acute Toxicity Oral 4 - H302
 - Skin Corrosion 1A - H314
 - Reproductive Toxicity 1A - H360Df
 - Specific Target Organ Toxicity Repeated Exposure 2 - H373
 - Hazardous to the aquatic environment Acute 1 - H400
 - Hazardous to the aquatic environment Chronic 1 - H410
- DSD/DPD**
- Harmful (Xn)
 - Corrosive (C)
 - Substances Toxic To Reproduction - Category 1
 - Dangerous to the Environment (N)
 - R20/22, R48/22, R35, R60, R61, R50, R53

2.2 Label Elements

CLP

DANGER



- Hazard statements**
- H302 - Harmful if swallowed
 - H314 - Causes severe skin burns and eye damage.
 - H360Df - May damage the unborn child. Suspected of damaging fertility.
 - H373 - May cause damage to organs through prolonged or repeated exposure.
 - H400 - Very toxic to aquatic life
 - H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

- Prevention**
- P201 - Obtain special instructions before use.
 - P202 - Do not handle until all safety precautions have been read and understood.
 - P260 - Do not breathe mist/vapours/spray.
 - P264 - Wash thoroughly after handling.
 - P270 - Do not eat, drink or smoke when using this product.
 - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 - P281 - Use personal protective equipment as required.
 - P273 - Avoid release to the environment.
- Response**
- P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 - P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 - P310 - Immediately call a POISON CENTER or doctor/physician.
 - P321 - Specific treatment, see supplemental first aid information.
 - P363 - Wash contaminated clothing before reuse.
 - P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P301+P312 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.
 - P330 - Rinse mouth.
 - P331 - Do NOT induce vomiting.
 - P314 - Get medical advice/attention if you feel unwell.
 - P308+P313 - IF exposed or concerned: Get medical advice/attention.
 - P391 - Collect spillage.

- Storage/Disposal**
- P405 - Store locked up.
 - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

- Supplemental information**
- 10.8 percent of this product consists of an ingredient of unknown toxicity.

DSD/DPD



- Risk phrases**
- R20/22 - Harmful by inhalation and if swallowed.
 - R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.
 - R35 - Causes severe burns.
 - R60 - May impair fertility.
 - R61 - May cause harm to the unborn child.
 - R50 - Very toxic to aquatic organisms.
 - R53 - May cause long-term adverse effects in the aquatic environment.

- Safety phrases**
- S36 - Wear suitable protective clothing.
 - S37 - Wear suitable gloves.
 - S39 - Wear eye/face protection.
 - S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
 - S53 - Avoid exposure - obtain special instructions before use.
 - S57 - Use appropriate containment to avoid environmental contamination.

2.3 Other Hazards

- CLP** ● According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD** ● According to European Directive 1999/45/EC this material is considered dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

- OSHA HCS 2012**
- Skin Corrosion 1A - H314
 - Serious Eye Damage 1 - H318
 - Carcinogenicity 2 - H351
 - Reproductive Toxicity 1A - H360
 - Specific Target Organ Toxicity Repeated Exposure 1 - H372

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- Causes severe skin burns and eye damage. - H314
 - Causes serious eye damage - H318
 - Suspected of causing cancer. - H351
 - May damage fertility or the unborn child. - H360
 - Causes damage to organs - nervous system/blood/liver/kidneys through prolonged or repeated exposure - H372

Precautionary statements

- Prevention**
- Obtain special instructions before use. - P201
 - Do not handle until all safety precautions have been read and understood. - P202
 - Do not breathe mist/vapours/spray. - P260
 - Wash thoroughly after handling. - P264
 - Do not eat, drink or smoke when using this product. - P270
 - Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response**
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. - P303+P361+P353
 - Immediately call a POISON CENTER or doctor/physician. - P310
 - Specific treatment, see supplemental first aid information. - P321
 - Wash contaminated clothing before reuse. - P363
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338
 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331
 - IF exposed or concerned: Get medical advice/attention. - P308+P313
 - Get medical advice/attention if you feel unwell. - P314
- Storage/Disposal**
- Store locked up. - P405
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

- OSHA HCS 2012**
- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Very Toxic - D1A
- Other Toxic Effects - D2A
- Corrosive - E

2.2 Label elements**WHMIS**

- Very Toxic - D1A
- Other Toxic Effects - D2A
- Corrosive - E

2.3 Other hazards**WHMIS**

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information

- Acid batteries used in APC by Schneider Electric Replacement Battery Cartridges (RBCs) are contained within cartridges and are sealed, non-spillable design. Under normal use and handling, there is no contact with the internal components of the battery or the chemical hazards. Under normal use and handling, these products do not emit regulated or hazardous substances. Misuse of the product, such as overcharging, may result in a discharge of battery electrolyte. Classification provided are for the battery electrolyte and are only applicable in the event that the electrolyte is discharged.

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

| Composition | | | | |
|------------------------|---|----------------------|---|---|
| Chemical Name | Identifiers | % | LD50/LC50 | Classifications According to Regulation/Directive |
| Lead | CAS:7439-92-1 EC Number:231-100-4 | 55.9% TO 63.4% | NDA | EU DSD/DPD: Annex I: Xn; R20/22; Repr. Cat. 1; R60/61; R48/22; N; R50-53 EU CLP: Annex VI: Acute Tox. 4 *, H332; Acute Tox. 4 *, H302; Repr. 1A, H360df; STOT RE 2 *, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 OSHA HCS 2012: Repr. 1A; STOT RE 1 (Liver, Kidney, Blood, Nervous system); Carc. 2 |
| Sulfuric acid | CAS:7664-93-9 EC Number:231-639-5 | 15.8% TO 20.5% | Inhalation-Rat LC50 • 510 mg/m ³ 2 Hour(s) Ingestion/Oral-Rat LD50 • 2140 mg/kg | EU DSD/DPD: Annex VI, Table 3.2: C; R35 EU CLP: Annex VI, Table 3.1: Skin Corr. 1A; H314 OSHA HCS 2012: Eye Dam. 1; Skin Corr. 1A |
| 1-Propene, homopolymer | CAS:9003-07-0 | 4.8% TO 12.3% | Ingestion/Oral-Rat LD50 • >8 g/kg | EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified |

| | | | | |
|------------------------|--|-----------------|-----|---|
| Amorphous/fused silica | CAS: 60676-86-0 EINECS: 262-373-8 | 3.7% TO 5.6% | NDA | EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified |
| Polyvinyl Chloride | CAS: 9002-86-2 | 2.6% | NDA | EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified |
| Copper | CAS: 7440-50-8 EC Number: 231-159-6 | 2.6% | NDA | EU DSD/DPD: Self Classified: Repr 3 R63; Xi, R36/37 EU CLP: Self Classified: Repr. 2, H361; Eye Irrit. 2, H319; STOT SE 3: Resp. Irrit., H335 OSHA HCS 2012: Repr. 2, STOT SE 3: Resp. Irrit.; Eye Irrit. 2; |
| Steel | NDA | 0.4% | NDA | EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified |
| Tin | CAS: 7440-31-5 EINECS: 231-141-8 | 0.3% | NDA | EU DSD/DPD: Self Classified: Xi R38; T; R48/26; Xn, R48/20 EU CLP: Self Classified: STOT SE 3: Resp. Irrit., H335; STOT RE 2 (Lungs, Inhalation), H373; STOT RE 1 (CNS, Liver, Kidney), H372 OSHA HCS 2012: STOT SE 3: Resp. Irrit.; STOT RE 2 (Lungs, Inhalation); STOT RE 1 (CNS, Liver, Kidney) |
| Polycarbonate | CAS: 25037-45-0 | 0.1% | NDA | EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified |

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Skin

- IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

Ingestion

- Do NOT induce vomiting. If conscious, drink large quantities of milk or water. Follow with milk of magnesia, beaten egg, egg whites or vegetable oil. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • Dry chemical or CO₂.

Unsuitable Extinguishing • Water should not be used unless from a safe distance due to vigorous and exothermic

Media reaction which will result.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Hydrogen and oxygen gases are produced during normal battery operation and charging. These gases escape through the battery vents and may form an explosive atmosphere around the battery if ventilation is poor. Avoid open flame, sparks and other ignition sources in areas where batteries are used or stored.

Hazardous Combustion Products

- Acid mists and vapors, toxic fumes from burning plastic.

5.3 Advice for firefighters

- Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Fire fighters to wear acid-resistant full protective clothing, including rubber footwear and self-contained breathing apparatus.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas. Do not get in eyes, on skin, or on clothing. Do not breathe dusts or mists.
- Emergency Procedures**
- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Do not get water inside container.

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

- Containment/Clean-up Measures**
- Stop leak if you can do it without risk. If battery is leaking, place battery in a heavy duty plastic bag. Contain spill by diking with soda ash, etc. Neutralize spill area with (soda ash or lime, dilute with acetic acid) Make certain mixture is neutral then collect residue and place in a drum or other suitable container.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

- Handling**
- Use only in well ventilated areas. Use caution when combining with water; DO NOT add water to corrosive liquid, ALWAYS add corrosive liquid to water while stirring to prevent release of heat, steam and fumes. Wear appropriate personal protective equipment, avoid direct contact. Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors, spray. Avoid direct conductive connection across positive and negative terminals to prevent short circuit. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

- Storage**
- Batteries should be kept in an upright position away from ignition sources. Stack batteries so as to prevent accidental contact between terminal and/or other damage to terminals or containers. Whenever feasible, store on shipping pallet or rack. Do not stack loaded pallets or racks on top of other batteries. Store in a cool/low-temperature, well-ventilated place. Avoid storage in areas exposed to heat or solar

buildup.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

| Exposure Limits/Guidelines | | | | |
|---|--------|-----------------------------------|---|---|
| | Result | ACGIH | NIOSH | OSHA |
| Tin (7440-31-5) | TWAs | 2 mg/m3 TWA | 2 mg/m3 TWA | Not established |
| Copper (7440-50-8) | TWAs | 0.2 mg/m3 TWA (fume) | 1 mg/m3 TWA (dust and mist); 0.1 mg/m3 TWA (fume) | 0.1 mg/m3 TWA (fume); 1 mg/m3 TWA (dust and mist) |
| Polyvinyl Chloride (9002-86-2) | TWAs | 1 mg/m3 TWA (respirable fraction) | Not established | Not established |
| Sulfuric acid (7664-93-9) | TWAs | 0.2 mg/m3 TWA (thoracic fraction) | 1 mg/m3 TWA | 1 mg/m3 TWA |
| Lead as Lead, inorganic compounds | TWAs | 0.05 mg/m3 TWA | 0.050 mg/m3 TWA | 50 µg/m3 TWA |

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear eye/face protection - Chemical splash goggles, or - Full-face shield with safety glasses..

Skin/Body

- Acid resistant clothing with rubber/neoprene boots for major spill clean-up. Acid resistant gloves such as rubber, neoprene, vinyl coated, PVC.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

| Material Description | | | |
|----------------------|--------------|------------------------|-----------------|
| Physical Form | Solid | Appearance/Description | Shaped article. |
| Color | Data lacking | Odor | Data lacking |

| | | | |
|-------------------------------------|------------------|----------------------|----------------|
| Odor Threshold | Data lacking | | |
| General Properties | | | |
| Boiling Point | Data lacking | Melting Point | Data lacking |
| Decomposition Temperature | Data lacking | pH | Data lacking |
| Specific Gravity/Relative Density | Data lacking | Water Solubility | Data lacking |
| Viscosity | Data lacking | Explosive Properties | Not explosive. |
| Oxidizing Properties: | Not an oxidizer. | | |
| Volatility | | | |
| Vapor Pressure | Data lacking | Vapor Density | Data lacking |
| Evaporation Rate | Data lacking | | |
| Flammability | | | |
| Flash Point | Data lacking | UEL | Data lacking |
| LEL | Data lacking | Autoignition | Data lacking |
| Flammability (solid, gas) | Not flammable. | | |
| Environmental | | | |
| Octanol/Water Partition coefficient | Data lacking | | |

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- No data available

10.4 Conditions to avoid

- Use only approved charging methods. Avoid overcharging. Avoid shortcircuiting. Avoid sparks and other ignition sources. Do not open, break or melt the casing.

10.5 Incompatible materials

- Strong oxidizing or reducing agents.

10.6 Hazardous decomposition products

- Can emit highly toxic fumes when heated. Combustion can produce carbon dioxide and carbon monoxide. Will release an explosive hydrogen/oxygen gas mixture. Oxides of lead, lead and/or lead compounds may be released. Sulfuric acid may release sulfur dioxide and/or sulfur trioxide.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

| Components | | |
|--------------------------------------|---------------|---|
| Sulfuric acid (15.8% TO 20.5%) | 7664- 93-9 | Acute Toxicity: Ingestion/Oral-Rat LD50 • 2140 mg/kg; Inhalation-Rat LC50 • 510 mg/m ³ 2 Hour(s); Irritation: Eye-Rabbit • 250 µg • Severe irritation; Multi-dose Toxicity: Inhalation-Rat TCl ₀ • 1.8 mg/m ³ 24 Hour(s) 65 Day(s)-Continuous; <i>Peripheral Nerve and Sensation:Recording from peripheral motor nerve; Kidney, Ureter, and Bladder:Changes in both tubules and glomeruli</i> |

| | | |
|---------------------------|-----------|--|
| Polyvinyl Chloride (2.6%) | 9002-86-2 | Tumorigen / Carcinogen: Ingestion/Oral-Rat TDLo • 210 g/kg 30 Week(s)-Continuous; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; <i>Lungs, Thorax, or Respiration:</i> Tumors; <i>Skin and Appendages:</i> Other:Tumors |
| Copper (2.6%) | 7440-50-8 | Reproductive: Ingestion/Oral-Rat TDLo • 152 mg/kg (22W pre); <i>Reproductive Effects:</i> Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); <i>Reproductive Effects:</i> Specific Developmental Abnormalities:Central nervous system |

| GHS Properties | Classification |
|-------------------------------|---|
| Acute toxicity | EU/CLP • Acute Toxicity - Oral 4 - ATEmix = 703.47 mg/kg OSHA HCS 2012 • Classification criteria not met |
| Aspiration Hazard | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Carcinogenicity | EU/CLP • Classification criteria not met OSHA HCS 2012 • Carcinogenicity 2 |
| Germ Cell Mutagenicity | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Skin corrosion/Irritation | EU/CLP • Skin Corrosion 1A OSHA HCS 2012 • Skin Corrosion 1A |
| Skin sensitization | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| STOT-RE | EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1 |
| STOT-SE | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Toxicity for Reproduction | EU/CLP • Toxic to Reproduction 1A OSHA HCS 2012 • Toxic to Reproduction 1A |
| Respiratory sensitization | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Serious eye damage/Irritation | EU/CLP • Classification criteria not met OSHA HCS 2012 • Serious Eye Damage 1 |

Target Organs

- Nervous System, Blood, Liver, Kidney

Route(s) of entry/exposure

- Inhalation, Skin, Eye, Ingestion

Potential Health Effects

Inhalation

Acute (Immediate)

- Lead - For industry, inhalation is much more important than is ingestion. Systemic effects include loss of appetite, anemia, malaise, insomnia, headache, irritability, muscle and joint pains, tremors, flaccid paralysis without anesthesia, hallucinations and distorted perceptions, muscle weakness, gastritis and liver changes. Major organ systems affected are the nervous system, blood system and kidneys. Experimental evidence suggests that blood levels of lead below 10 µg/dL can lower the IQ scores of children. Low levels of lead impair neurotransmission and immune system function and may increase systolic blood pressure. Reversible kidney damage can occur from acute exposure. Sulfuric Acid - Experimental poison by inhalation.

Chronic (Delayed)

- Lead - Chronic exposure can lead to irreversible vascular sclerosis, tubular cell atrophy, interstitial fibrosis, and glomerular sclerosis. Very heavy intoxication can sometimes be detected by formation of a dark line on the gum margins. Sulfuric acid - Repeated or prolonged inhalation of sulfuric acid mist can cause inflammation of the upper respiratory tract, leading to chronic bronchitis. Severe exposure may cause chemical pneumonitis. Erosion of tooth enamel due to strong acid fume exposure has

been observed in industry. Workers exposed to low concentrations of the vapors gradually lose their sensitivity to its irritating action. Occupational exposures to strong-acid mists containing sulfuric acid have been associated with several respiratory tract cancers. However, there is no animal data supporting the carcinogenicity of sulfuric acid. Sulfuric acid has been found to be non-mutagenic, and in two studies of workers employed in lead acid battery manufacture, no association between sulfuric acid mist exposure and respiratory tract cancers was observed.

Skin

Acute (Immediate)

- Sulfuric Acid - Extremely irritating, corrosive, and toxic to tissue, resulting in rapid destruction of tissue, causing severe burns. If much skin is involved, exposure is accompanied by shock, collapse and symptoms similar to those seen in severe burns. Repeated contact with dilute solutions can cause dermatitis.

Chronic (Delayed)

- No data available

Eye

Acute (Immediate)

- Causes serious eye damage.

Chronic (Delayed)

- No data available

Ingestion

Acute (Immediate)

- Lead - Poison by ingestion in large dosages and with prolonged exposure leading to the same effects as seen in exposure by inhalation. Adults absorb 5-15% of ingested lead and retain less than 5%. Children absorb about 50% and retain about 30%. Sulfuric Acid - Moderately toxic by ingestion.

Chronic (Delayed)

- No data available

Carcinogenic Effects

- Repeated and prolonged exposure may cause cancer.

| Carcinogenic Effects | | | |
|-----------------------------------|------------|------------------------------|---|
| | CAS | IARC | NTP |
| Sulfuric acid | 7664-93-9 | Group 1-Carcinogenic | Not Listed |
| Lead | 7439-92-1 | Group 2A-Probable Carcinogen | Reasonably Anticipated to be Human Carcinogen |
| Lead as Lead Compounds | NDA | Not Listed | Reasonably Anticipated to be Human Carcinogen |
| Lead as Lead, inorganic compounds | NDA | Group 2A-Probable Carcinogen | Not Listed |

Reproductive Effects

- Lead - Severe toxicity can cause sterility, abortion, and neonatal mortality and morbidity. Experimental teratogen. Experimental reproductive effects. Pathological lesions have been found on male gonads. Sulfuric Acid - Experimental teratogen.

Section 12 - Ecological Information

12.1 Toxicity

- Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- PBT and vPvB assessment has not been conducted for this material.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

| | 14.1 UN number | 14.2 UN proper shipping name | 14.3 Transport hazard class(es) | 14.4 Packing group | 14.5 Environmental hazards |
|-----------|----------------|------------------------------|---------------------------------|--------------------|----------------------------|
| DOT | NDA | Not regulated | NDA | NDA | NDA |
| TDG | NDA | Not regulated | NDA | NDA | NDA |
| IMO/IMDG | NDA | Not regulated | NDA | NDA | NDA |
| IATA/ICAO | NDA | Not Restricted | NDA | NDA | NDA |

14.6 Special precautions for user

- None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

14.8 Other information

- DOT** • The batteries used in APC Replaceable Battery Cartridges are non-spillable wet, electric storage batteries. When shipped in the original factory packaging or contained within UPSs, batteries are excepted from the requirements of the DOT's hazardous materials regulations because they meet the requirements of 49 CFR 173.159a. See Code of Federal Regulations, 49 CFR Section 173.159 for complete information.
- IMO/IMDG** • APC Replaceable Battery Cartridges when in their original factory packaging or contained within UPSs are packaged and determined to be in compliance with IMDG special provision 238.1 & 238.2 therefore are not restricted for shipment via sea and are exempted from the hazardous material category.
- IATA/ICAO** • APC Replaceable Battery Cartridges when in their original factory packaging or contained within UPSs are packaged and determined to be in compliance with the International Air Transportation Association (IATA), Special Provisions (S.P.) A48, A67, A164, A183 & Packaging Instruction 872 therefore are not restricted for shipment via air and are exempted from the hazardous material category.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic

| Inventory | | | | | | |
|------------------------|-----------|------------|-------------|-----------|-----------|------|
| Component | CAS | Canada DSL | Canada NDSL | EU EINECS | EU ELNICS | TSCA |
| 1-Propene, homopolymer | 9003-07-0 | Yes | No | No | No | Yes |

| | | | | | | |
|------------------------|------------|-----|----|-----|-----|-----|
| Amorphous/fused silica | 60676-86-0 | Yes | No | Yes | Yes | Yes |
| Calcium | 7440-70-2 | Yes | No | Yes | No | Yes |
| Copper | 7440-50-8 | Yes | No | Yes | No | Yes |
| Lead | 7439-92-1 | Yes | No | Yes | No | Yes |
| Polycarbonate | 25037-45-0 | Yes | No | No | No | Yes |
| Polyvinyl Chloride | 9002-86-2 | Yes | No | No | Yes | Yes |
| Sulfuric acid | 7664-93-9 | Yes | No | Yes | No | Yes |
| Tin | 7440-31-5 | Yes | No | Yes | No | Yes |

Canada

Labor

Canada - WHMIS - Classifications of Substances

| | | |
|-------------------------------------|------------|---|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | B6, E |
| • Copper | 7440-50-8 | Uncontrolled product according to WHMIS classification criteria |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Uncontrolled product according to WHMIS classification criteria |
| • Sulfuric acid | 7664-93-9 | D1A, E (including >51%, <=51%) |
| • Lead | 7439-92-1 | D2A |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Uncontrolled product according to WHMIS classification criteria |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Uncontrolled product according to WHMIS classification criteria |
| • 1-Propene, homopolymer | 9003-07-0 | Uncontrolled product according to WHMIS classification criteria |

Canada - WHMIS - Ingredient Disclosure List

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | 1 % |
| • Copper as Copper compounds | | 1 % |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | 1 % |
| • Lead | 7439-92-1 | 0.1 % |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | 1 % |
| • Tin | 7440-31-5 | 1 % |
| • Tin as Tin compounds | | 1 % |
| • Amorphous/fused silica | 60676-86-0 | 1 % |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Environment

Canada - 2004 NPRI (National Pollutant Release Inventory)

| | | |
|-------------------------------------|------------|---|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Part 1, Group 1 Substance |
| • Copper as Copper compounds | | Part 1, Group 1 Substance |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Part 1, Group 1 Substance |
| | | Part 1, Group 4 Substance |
| • Lead | 7439-92-1 | (Does not include lead contained in stainless steel, brass, or bronze alloys) |
| | | Part 1, Group 4 Substance |
| | | (Does not include lead compounds contained in stainless steel, brass, or bronze alloys) |
| • Lead as Lead compounds | | Not Listed |
| | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Canada - 2005 NPRI (National Pollutant Release Inventory)

| | | |
|-------------------------------------|------------|---------------------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Part 1, Group 1 Substance |
| • Copper as Copper compounds | | Part 1, Group 1 Substance |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Part 1, Group 1 Substance |
| • Lead | 7439-92-1 | Part 1, Group 4 Substance |
| • Lead as Lead compounds | | Part 1, Group 4 Substance |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Canada - CEPA - Greenhouse Gases Subject to Mandatory Reporting

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Canada - CEPA - Priority Substances List

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Canada - DWQ (Drinking Water Quality) - IMACs

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Other

Canada - Accelerated Reduction/Elimination of Toxics (ARET)

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Canada New Brunswick

Environment

Canada - New Brunswick - Ozone Depleting Substances - Schedule A

| | | |
|------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |

| | | |
|-------------------------------------|------------|------------|
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Canada - New Brunswick - Ozone Depleting Substances - Schedule B

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

United States**Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - OSHA - Specifically Regulated Chemicals

| | | |
|------------------------------|------------|---|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | 30 µg/m ³ Action Level (See 29 CFR 1910.1025); 50 µg/m ³ TWA (See 29 CFR 1910.1025) |
| • Lead as Lead compounds | | Not Listed 30 µg/m ³ Action Level (See 29 |

| | | |
|-------------------------------------|------------|---|
| • Lead as Lead, inorganic compounds | | CFR 1910.1025, as Pb); 50 µg/m3 TWA (See 29 CFR 1910.1025, as Pb) |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

| | | |
|-------------------------------------|------------|--|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | (including any unique chemical substance that contains Lead as part of its infrastructure) |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

| | | |
|-------------------------------------|------------|--|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | 5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 2270 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm) |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | 1000 lb final RQ; 454 kg final RQ |
| • Lead | 7439-92-1 | 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm) |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |

| | | |
|--------------------------|------------|------------|
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

| | | |
|-------------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

| | | |
|-------------------------------------|------------|------------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | 1000 lb EPCRA RQ |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

| | | |
|-------------------------------------|------------|-------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | 1000 lb TPQ |
| • Lead | 7439-92-1 | Not Listed |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

| | | |
|-----------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |

| | | |
|--|------------|--|
| • Copper | 7440-50-8 | 1.0 % de minimis concentration |
| • Copper as Copper compounds | | 1.0 % de minimis concentration (This category does not include CAS numbers 147-14-8, 1328-53-6, or 14302-13-7, or copper phthalocyanine compounds that are substituted with only hydrogen and/or chlorine and/or bromine.) |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size) |
| • Lead | 7439-92-1 | 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze) |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | 0.1 % Supplier notification limit (Chemical Category N420) |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |
| U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing | | |
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy) |
| • Lead as Lead compounds | | 100 lb RT |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

| | | |
|------------------------------|------------|------------|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |

| | | |
|--|------------|--|
| • Lead | 7439-92-1 | carcinogen, initial date 10/1/92 |
| • Lead as Lead compounds | | carcinogen, initial date 10/1/92 |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |
| U.S. - California - Proposition 65 - Developmental Toxicity | | |
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | developmental toxicity, initial date 2/27/87 |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | developmental toxicity, initial date 2/27/87 |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |
| U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL) | | |
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | 0.5 µg/day MADL |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |
| U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL) | | |
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | 15 µg/day NSRL (oral) |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

| | | |
|-------------------------------------|------------|---|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | female reproductive toxicity, initial date 2/27/87 |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

| | | |
|-------------------------------------|------------|---|
| • Polycarbonate | 25037-45-0 | Not Listed |
| • Calcium | 7440-70-2 | Not Listed |
| • Copper | 7440-50-8 | Not Listed |
| • Copper as Copper compounds | | Not Listed |
| • Polyvinyl Chloride | 9002-86-2 | Not Listed |
| • Sulfuric acid | 7664-93-9 | Not Listed |
| • Lead | 7439-92-1 | male reproductive toxicity, initial date 2/27/87 |
| • Lead as Lead compounds | | Not Listed |
| • Lead as Lead, inorganic compounds | | Not Listed |
| • Tin | 7440-31-5 | Not Listed |
| • Tin as Tin compounds | | Not Listed |
| • Amorphous/fused silica | 60676-86-0 | Not Listed |
| • 1-Propene, homopolymer | 9003-07-0 | Not Listed |

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

15.3 Other Information

- WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 16 - Other Information**Relevant Phrases (code & full text)**

- H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H361 - Suspected of damaging fertility or the unborn child.
H372 - Causes damage to organs through prolonged or repeated exposure.
R36/37 - Irritating to eyes and respiratory system.
R38 - Irritating to skin.
R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R63 - Possible risk of harm to the unborn child.

Last Revision Date

- 23/May/2014

Preparation Date

- 23/May/2014

Disclaimer/Statement of Liability

- Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Schneider Electric Incorporated accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.

Key to abbreviations

NDA = No Data Available
