

## Cable gland - G-INS-PG29-M68N-PNES-GY - 1411146

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Polyamide, External cable diameter 18 mm ... 25 mm, Shielding: No, Connecting thread: Pg29, Color: silver grey

### Product Features



### Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
Custom tariff number	39269097
Country of origin	Turkey

### Technical data

#### Dimensions

Length	53.9 mm
Length without connecting thread	42.9 mm
Connecting thread diameter	37 mm
Wrench size, union nut	42 mm
Wrench size, support	42 mm
Hexagon angular dimension GRP	48 mm
Length of the connecting thread	11 mm
External cable diameter	18 mm ... 25 mm

#### Ambient conditions

Degree of protection	IP68 (5 bar, 30 min.)
Ambient temperature (operation)	-30 °C ... 80 °C (for a short period up to 150 °C)

#### General

Cable gland material	Polyamide
----------------------	-----------

## Cable gland - G-INS-PG29-M68N-PNES-GY - 1411146

### Technical data

#### General

Seal material	Neoprene
Cable seal material	Neoprene
Shielded	No
Thread type on connection side	Pg29
Torque	8 Nm ... 10 Nm (Union nut)
Inflammability class according to UL 94	V2
Color	silver grey

### Classifications

#### eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

#### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

### Approvals

#### Approvals

---

#### Approvals

CSA / UL Recognized

---

#### Ex Approvals

---

#### Approvals submitted

---

#### Approval details

CSA 
---

## Cable gland - G-INS-PG29-M68N-PNES-GY - 1411146

### Approvals

UL Recognized



### Drawings

Dimensional drawing

