

1

2

3

4

5

6

AMPHENOL PART NUMBER CONFIGURATION

UE86-3G4620-X0X61

LIGHT PIPE OPTION

0 - NO LIGHT PIPE

1 - 4 LP PER 2X1, NORMAL ORIENTATION

2 - 2 INNER LP PER 2X1, NORMAL ORIENTATION

3 - 2 OUTER LP PER 2X1, NORMAL ORIENTATION

4 - 4 LP PER 2X1, REVERSING ORIENTATION

5 - 2 INNER LP PER 2X1, REVERSING ORIENTATION

6 - 2 OUTER LP PER 2X1, REVERSING ORIENTATION

7 - 3 LP PER 2X1, 2 OUTER LP, NORMAL ORIENTATION

8 - 3 LP PER 2X1, 2 OUTER LP, REVERSING ORIENTATION

PACKAGING

1 - TRAY PACKAGING (STACKED)

PLATING OPTIONS FOR CONNECTOR

2 - 30µ" GOLD PLATING ON MATING AREA

15-100µ" MATTE TIN ON TERMINATION

3 - 30µ" GOLD PLATING ON MATING AREA

150-300µ" MATTE TIN ON TERMINATION

5 - 15µ" GOLD PLATING ON MATING AREA

15-100µ" MATTE TIN ON TERMINATION

6 - 15µ" GOLD PLATING ON MATING AREA

150-300µ" MATTE TIN ON TERMINATION

REV.

ECN

DESCRIPTION

DATE

APPROVED

A

PROPOSAL

FEB 07/14

J. SI

B

UPDATE PLATING OPTIONS

JUN 25/14

J.SI

C


UPDATE NOTES

AUG 19/14

J.SI

PART NUMBER (LAST DIGIT INDICATING PACKAGING TYPE, NOT PRINTED ON THE PART)

DATE CODE



MATERIAL: (RoHS COMPLIANT)

1. CAGE - PRESS FIT: COPPER ALLOY (NICKEL SILVER)

2. CONNECTOR - PRESS FIT:

- PLASTIC HOUSING: LCP, FLAMMABILITY RATING UL94-V0

- CONTACTS: PHOSPHOR BRONZE

3. LIGHT PIPE: CLEAR POLYCARBONATE, FLAMMABILITY RATING UL94-V0

4. PACKAGING: TRAY PACKAGING

5. TEMPERATURE RANGE: -40°C TO +85°C

NO LIGHT PIPES

UE86-3G4620-00X61

4 LIGHT PIPES

UE86-3G4620-10X61

2 INNER LIGHT PIPES

UE86-3G4620-20X61

2 OUTER LIGHT PIPES

UE86-3G4620-30X61

4 LIGHT PIPES UPSIDE DOWN

UE86-3G4620-40X61

2 INNER LIGHT PIPES UPSIDE DOWN

UE86-3G4620-50X61

2 OUTER LIGHT PIPES UPSIDE DOWN

UE86-3G4620-60X61

3 LIGHT PIPES

UE86-3G4620-70X61

3 LIGHT PIPES UPSIDE DOWN

UE86-3G4620-80X61

AMPHENOL CANADA CORP

RoHS COMPLIANT

2011/65/EU RECAST

UNLESS SPECIFIED OTHERWISE

DIMENSIONS ARE IN MILLIMETERS

REFERENCE IN PARENTHESES

GENERAL TOLERANCES

1 DECIMAL PLACE ±0.25

2 DECIMAL PLACE ±0.15

3 DECIMAL PLACE N/A

ANGULAR DEGREES ±1°

ENG. REL. NO.

DRAWN

P. OU

FEB 07/14

CHECKED

J. SI

FEB 07/14

M.E. APP'D

Q.A. APP'D

DWG APP'D

J. SI

FEB 07/14

MATERIAL AND FINISH

SEE NOTES

REF.

ECN EXXXXX

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

Amphenol High Speed Interconnects

A Division of Amphenol Corp. www.amphenolcanada.com

2X4 SFP ULTRAPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER

DWG. NO.

P-UE86-3G4620-X0X61

REV

C

CODE ID NO.

03554

DWG SIZE:


A4

SCALE:

2:3

SHEET 1 OF 5


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	FEB 07/14	J. SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE DIMENSIONS ARE IN MILLIMETERS REFERENCE IN PARENTHESES GENERAL TOLERANCES 1 DECIMAL PLACE ±0.25 2 DECIMAL PLACE ±0.15 3 DECIMAL PLACE N/A ANGULAR DEGREES ±1° ENG. REL. NO.		DRAWN P. OU CHECKED J. SI M.E. APP'D Q.A. APP'D DWG APP'D J. SI MATERIAL AND FINISH REF. ECN Exxxxx THIRD ANGLE PROJECTION	FEB 07/14 FEB 07/14 FEB 07/14 SEE NOTES DO NOT SCALE DRAWING	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com 2X4 SFP ULTRAPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER DWG. NO. P-UE86-3G4620-X0X61 CODE ID NO. 03554 DWG SIZE: A4 SCALE: 1:1 SHEET 2 OF 5		REV C
--	--	---	--	---	--	-------




REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	FEB 07/14	J. SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI

SECTION C-C

DETAIL D
SCALE 2 : 1

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE		DRAWN		P. OU		FEB 07/14		Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com 2X4 SFP ULTRAPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER									
DIMENSIONS ARE IN MILLIMETERS		CHECKED		J. SI		FEB 07/14											
REFERENCE IN PARENTHESES		M.E. APP'D															
GENERAL TOLERANCES		Q.A. APP'D															
1 DECIMAL PLACE		±0.25		DWG APP'D		J. SI		FEB 07/14		DWG. NO. P-UE86-3G4620-X0X61 REV C							
2 DECIMAL PLACE		±0.15		MATERIAL AND FINISH		SEE NOTES											
3 DECIMAL PLACE		N/A		REF.		ECN Exxxxx											
ANGULAR DEGREES		±1°		THIRD ANGLE PROJECTION				DO NOT SCALE DRAWING									
ENG. REL. NO.								CODE ID NO.		03554		DWG SIZE: A4		SCALE: 1:1		SHEET 3 OF 5	




REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	FEB 07/14	J. SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI

NOTES:
1. 0.56 mm DIAMETER HOLES ARE CHASSIS GROUND (69HOLES).

2X4 PCB LAYOUT

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE DIMENSIONS ARE IN MILLIMETERS		DRAWN P. OU	FEB 07/14	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com	
REFERENCE IN PARENTHESES		CHECKED J. SI	FEB 07/14		
GENERAL TOLERANCES		M.E. APP'D			
1 DECIMAL PLACE ± 0.25		Q.A. APP'D			
2 DECIMAL PLACE ± 0.15		DWG APP'D J. SI	FEB 07/14	2X4 SFP ULTRAPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER	
3 DECIMAL PLACE N/A		MATERIAL AND FINISH	SEE NOTES		
ANGULAR DEGREES $\pm 1^\circ$		REF. ECN Exxxxx			
ENG. REL. NO.		THIRD ANGLE PROJECTION	DO NOT SCALE DRAWING		
				DWG. NO. P-UE86-3G4620-X0X61	REV C
				CODE ID NO. 03554	DWG SIZE: A4 SCALE: 2:1 SHEET 4 OF 5



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	FEB 07/14	J. SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE DIMENSIONS ARE IN MILLIMETERS		DRAWN P. OU		FEB 07/14		Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com			
REFERENCE IN PARENTHESES		CHECKED J. SI		FEB 07/14					
GENERAL TOLERANCES		M.E. APP'D							
1 DECIMAL PLACE ±0.25		Q.A. APP'D				2X4 SFP ULTRAPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER			
2 DECIMAL PLACE ±0.15		DWG APP'D J. SI		FEB 07/14					
3 DECIMAL PLACE N/A		MATERIAL AND FINISH		SEE NOTES					
ANGULAR DEGREES ±1°		REF.		ECN Exxxxx		DWG. NO.		REV C	
ENG. REL. NO.		THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING		P-UE86-3G4620-X0X61			
						CODE ID NO. 03554		DWG SIZE: A4	
						SCALE: 2:1		SHEET 5 OF 5	