





LOC	DIST	REV	DATE	BY	CHK	APPV
-	-	A	11OCT2012	MGM	CT	
-	-	B	01APR2013	KG	DH	
-	-	C	20NOV14	MGM	CT	



- 1 MATERIAL:  
CONTACT - COPPER ALLOY  
HOUSING - LCP, COLOR - BLACK
- 2 FINISH:  
MATING AREA: 1.27μm MIN GOLD OVER  
1.25μm MIN NICKEL
- 3 FINISH:  
COMPLIANT PIN AREA: 0.38μm MIN BRIGHT TIN LEAD  
OVER 1.27μm MIN NICKEL
- 4 FINISH:  
COMPLIANT PIN AREA: 0.38μm MIN MATTE TIN  
OVER 1.27μm MIN NICKEL
- 5 --
- 6 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 7 REFERENCE APPLICATION SPEC 114-13267 FOR RECOMMENDED  
PLATING THRU HOLE DIAMETER AND PLATING THICKNESS.
- 8 RECOMMENDED DIFFERENTIAL PAIR CONFIGURATION SHOWN.  
THE CONNECTOR UTILIZES AN OPEN PIN FIELD AND  
CAN BE LAID OUT IN A SINGLE-ENDED CONFIGURATION.

2 4	2102093-2
2 3	2102093-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009. TOLERANCES UNLESS OTHERWISE SPECIFIED:		OWN: D. BELACK ZANOV2010 CHK: A. TSANG APPV: M. McALONIS	TE Connectivity Fortis Zd. 2-PAIR, 10-COLUMN, VERTICAL, CENTER MODULE ASSEMBLY	
DIMENSIONS: mm	0 PLC ±0.13 1 PLC ±0.13 2 PLC ±0.05 3 PLC ±0.13 4 PLC ±0.13 ANGLES ±2°	PRODUCT SPEC: 108-2409 APPLICATION SPEC: 114-13267 WEIGHT: ~2.40 g	SIZE: A1 CAGE CODE: 100779 DRAWING NO: C=2102093	RESTRICTED TO: C
MATERIAL: 1	FINISH: -	CUSTOMER DRAWING	SCALE: 10:1	SHEET: 1 OF 1