

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



EVO connector set, A10, plastic housing, consisting of: sleeve housing 1411340, panel mounting base 1411336, EVO screw connection 1411350, pin contact insert 1773051, socket contact insert 1773077

Product Features

V



Key commercial data

| Packing unit | 1 pc |
|--------------------------------------|-----------|
| Weight per Piece (excluding packing) | 280.0 GRM |
| Custom tariff number | 85366990 |
| Country of origin | Germany |

Technical data

General

| Number of positions | 10+PE |
|----------------------------------|-----------------------|
| Туре | D15 |
| Connection method | Screw connection |
| Degree of protection for housing | IP66 |
| | IP69K |
| | 4 (UL50e / NEMA 250) |
| | 4X (UL50e / NEMA 250) |
| | 12 (UL50e / NEMA 250) |
| Connection method | Screw connection |
| Rated voltage (III/3) | 250 V |
| Rated surge voltage | 4 kV |
| Rated current | 16 A |



Articles in set

Housing - HC-EVO-D15-HHFS-PL-BK - 1411340



HEAVYCON EVO sleeve housing, plastic, with bayonet flange for EVO screw connection, D15 series, for single locking latch, height: 65.5 mm, without EVO screw connection

Cable gland - HC-D-G-M20-PLRBK - 1411350



EVO plastic cable gland with bayonet locking, for housing series D, size M20, cable diameter: 7 - 13 mm.

Housing - HC-EVO-D15-BWS-PLR-BK - 1411336



HEAVYCON EVO panel mounting base, plastic, D15, with single locking latch, with flat gasket

Contact insert - HC-A10-I-UT-M - 1585294



HEAVYCON male insert, A10 series, 10-pos., screw connection

Contact insert - HC-A10-I-UT-F - 1585304



HEAVYCON female insert, A10 series, 10-pos., screw connection



Classifications

eCl@ss

| eCl@ss 5.1 | 27143424 |
|------------|----------|
| eCl@ss 6.0 | 27260705 |
| eCl@ss 8.0 | 27440101 |

ETIM

| ETIM 4.0 | EC002641 |
|----------|----------|
| ETIM 5.0 | EC002636 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Drawings

Dimensional drawing

Schematic diagram

Panel cutout






Pin assignment, connection side, pin left, socket right



Dimensional drawing



Dimensional drawing

Derating diagram

Phoenix Contact 2015 © - all rights reserved http://www.phoenixcontact.com