




# Dual Voltage Fans





115/230 Volts AC  
80mm - 120mm (3.15" - 4.7")


|  Model Number<br>80 x 25 | Speed (RPM) | Airflow (CFM) | Noise (dB) | Volts AC | Voltage Range | Watts | Max. Static Pressure ("H2O) |
|---|-------------|---------------|------------|----------|---------------|-------|-----------------------------|
| OA825AP-11/22-1WB   | 3000        | 25            | 28         | 115/230  | 100~240       | 9     | .21                         |
| OA825AP-11/22-2WB   | 2300        | 18            | 24         | 115/230  | 100~240       | 6     | .14                         |
| OA825AP-11/22-3WB   | 1900        | 16            | 19         | 115/230  | 100~240       | 4     | .11                         |

|  Model Number<br>80 x 38 | Speed (RPM) | Airflow (CFM) | Noise (dB) | Volts AC | Voltage Range | Watts | Max. Static Pressure ("H2O) |
|---|-------------|---------------|------------|----------|---------------|-------|-----------------------------|
| OA80AP-11/22-1WB  | 3000        | 31            | 29         | 115/230  | 100~240       | 12    | 0.24                        |
| OA80AP-11/22-2WB  | 2300        | 23            | 22         | 115/230  | 100~240       | 9     | 0.15                        |
| OA80AP-11/22-3WB  | 1600        | 17            | 18         | 115/230  | 100~240       | 5     | 0.10                        |

|  Model Number<br>92 x 25 | Speed (RPM) | Airflow (CFM) | Noise (dB) | Volts AC | Voltage Range | Watts | Max. Static Pressure ("H2O) |
|---|-------------|---------------|------------|----------|---------------|-------|-----------------------------|
| OA92AP-11/22-1WB  | 3000        | 35            | 30         | 115/230  | 100~240       | 13    | .20                         |
| OA92AP-11/22-2WB  | 2300        | 27            | 22         | 115/230  | 100~240       | 10    | .14                         |
| OA92AP-11/22-3WB  | 1900        | 22            | 19         | 115/230  | 100~240       | 6     | .09                         |

|  Model Number<br>92 x 38 | Speed (RPM) | Airflow (CFM) | Noise (dB) | Volts AC | Voltage Range | Watts | Max. Static Pressure ("H2O) |
|---|-------------|---------------|------------|----------|---------------|-------|-----------------------------|
| OA938AP-11/22-1WB   | 3100        | 50            | 32         | 115/230  | 100~240       | 9     | .22                         |
| OA938AP-11/22-2WB   | 2400        | 39            | 23         | 115/230  | 100~240       | 5     | .17                         |
| OA938AP-11/22-3WB   | 1800        | 26            | 19         | 115/230  | 100~240       | 3     | .10                         |

|  Model Number<br>120 x 25 | Speed (RPM) | Airflow (CFM) | Noise (dB) | Volts AC | Voltage Range | Watts | Max. Static Pressure ("H2O) |
|--|-------------|---------------|------------|----------|---------------|-------|-----------------------------|
| OA125AP-11/22-1WB  | 2900        | 81            | 32         | 115/230  | 100~240       | 13    | .23                         |
| OA125AP-11/22-2WB  | 2300        | 60            | 27         | 115/230  | 100~240       | 10    | .18                         |
| OA125AP-11/22-3WB  | 1600        | 42            | 22         | 115/230  | 100~240       | 6     | .12                         |

|  Model Number<br>120 x 38 | Speed (RPM) | Airflow (CFM) | Noise (dB) | Volts AC | Voltage Range | Watts | Max. Static Pressure ("H2O) |
|--|-------------|---------------|------------|----------|---------------|-------|-----------------------------|
| OA109AP-11/22-1WB  | 3000        | 110           | 42         | 115/230  | 100~240       | 15    | .28                         |
| OA109AP-11/22-2WB  | 2300        | 71            | 35         | 115/230  | 100~240       | 11    | .24                         |
| OA109AP-11/22-3WB  | 1600        | 51            | 25         | 115/230  | 100~240       | 8     | .15                         |

Dual voltage fans are connected via 4 power leads. They can be configured for switchable operation.

