

## Cable gland - G-INS-PG16-S68N-PNES-GY - 1411144

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Polyamide, External cable diameter 10 mm ... 14 mm, Shielding: No, Connecting thread: Pg16, Color: silver grey

### Product Features



### Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
Custom tariff number	39269097
Country of origin	Turkey

### Technical data

#### Dimensions

Length	44.2 mm
Length without connecting thread	34.2 mm
Connecting thread diameter	22.5 mm
Wrench size, union nut	27 mm
Wrench size, support	27 mm
Hexagon angular dimension GRP	30.8 mm
Length of the connecting thread	10 mm
External cable diameter	10 mm ... 14 mm

#### Ambient conditions

Degree of protection	IP68 (5 bar, 30 min.)
Ambient temperature (operation)	-30 °C ... 80 °C (for a short period up to 150 °C)

#### General

Cable gland material	Polyamide
----------------------	-----------

## Cable gland - G-INS-PG16-S68N-PNES-GY - 1411144

### Technical data

#### General

Seal material	Neoprene
Cable seal material	Neoprene
Shielded	No
Thread type on connection side	Pg16
Torque	5 Nm ... 6 Nm (Union nut)
Inflammability class according to UL 94	V2
Color	silver grey

### Classifications

#### eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

#### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

### Approvals

#### Approvals

---

#### Approvals

CSA / UL Recognized

---

#### Ex Approvals

---

#### Approvals submitted

---

#### Approval details

CSA 
---

## Cable gland - G-INS-PG16-S68N-PNES-GY - 1411144

### Approvals

UL Recognized



### Drawings

Dimensional drawing

