


Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



| NO. | MATERIAL | FINISH . REMARKS | NO. | MATERIAL | FINISH . REMARKS |
|-----|-----------------|---|-----|----------|--|
| 3 | PHOSPHOR BRONZE | CONTACT AREA:GOLD 0.1μm min. LEAD AREA:GOLD 0.03μm min. UNDER PLATING:NICKEL 1μm min. | 6 | PI | TAPE FOR VACUUM PICK UP |
| 1 | PA | BLACK. UL94V-0 | 5 | PE | COVER TAPE |
| | | | 4 | PS | EMBOSSED CARRIER TAPE |
| | | | 2 | BRASS | OVER PLATING : TIN PLATING 1μm min. UNDER PLATING : NICKEL 2μm min. |

| UNITS | SCALE | COUNT | DESCRIPTION OF REVISIONS | DESIGNED | CHECKED | DATE |
|-------|-------|-------|--------------------------|-------------|---------------|------------|
| mm | 4 : 1 | 2 | DIS-F-005350 | KN. SHIBUYA | HT. YAMAGUCHI | 11. 03. 08 |

| APPROVED | CHECKED | DESIGNED | DRAWN | DRAWING NO. | PART NO. | CODE NO. |
|------------|---------------|---------------|---------------|----------------|------------------|-----------------|
| HS. OKAWA | HT. YAMAGUCHI | TP. MATSUMOTO | TP. MATSUMOTO | EDC3-330389-00 | FX16M2-41S-0.5SV | CL575-3002-6-00 |
| 10. 03. 09 | 10. 03. 09 | 10. 03. 08 | 10. 03. 08 | | | |




Jul.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

DRAWING FOR PACKING (2:1)

REELED DIMENSION (FREE)

THE DIRECITON OF PULLING OUT



| | | | |
|------------|-------------|------------------|-----|
| HRS | DRAWING NO. | EDC3-330389-00 | 2/2 |
| | PART NO. | FX16M2-41S-0.5SV | |
| | CODE NO. | CL575-3002-6-00 | |
| | | | |