





spec ref		*		dr	Peng-Bing Fu	2013/03/28	projection			size	A3	scale	3:2
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Peng-Bing Fu	2013/04/23				ecn no	-		
ASME Y14.5				chr	-	-							
				appr	Pei-Ming Zheng	2013/04/23	product family		PwrBlade+	rel level			Released
surface		linear	0.X	±0.5		title	4HP +12S + 4HP		dwg no	10106132-8003002		rev	A
			0.XX	±0.25									
			0.XXX	±0.10									
ASME Y14.5		angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw				sheet 1 of 3		

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Peng-Bing Fu	2013/03/28	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2			
eng	Peng-Bing Fu	2013/04/23			ecn no	-					
chr	-	-			rel level	Released					
appr	Pei-Ming Zheng	2013/04/23	product family		PwrBlade+						
<div></div>		title			4HP +12S + 4HP		dwg no	10106132-8003002	rev	A	
RA STB HEADER											
www.fci.com		cat. no.		Product - Customer Drw				sheet 3 of 3			