

### Quality Products. Service Excellence.

# Slim Wall and Floor Rack Cabinet SDC Series

Up to 800 lbs|363 kg Weight Capacity





The SDC Series is a multi-use rack providing numerous options for equipment rack mounting. It

#### **Features**

- · Available in 3U, 6U and 9U mounting heights.
- Available in 17.5", 24.5", 31.5" and 36" overall depths.
- 19" Mounting rail slots allow for adjustable depth rails and/or optional fan installation.
  - Mounting rails are easily removed for non-rack mounting equipment.
  - Starter pack of CAGKIT1032-10 screws and cage nuts included with 3U units or CAGKIT1032-50 screws and cage nuts included with 6U & 9U units.
- Removable cover panel for ease of equipment installation.
- Includes four (4) cutouts perfect for mounting over an electrical receptacle and/or for cable entry.
- Interior cable management lances.
- Removable plastic handles for side mounting storage.
- Optional surface mounted doors with quarter-turn lock and end cap available.

# Specifications

- Cabinet frame, removable cover and doors constructed in 16-gauge steel.
- Square hole 19" mounting rails are constructed in 12-gauge steel, include rack unit indicators, and are finished in smooth black powder paint.
- Suggest Load Ratings
  - Wall Mount (Rack Mounted) up to 150 lbs (68 kg).
  - Wall Mount (Rails removed) up to 50 lbs (22 kg).
  - o Ceiling/ Under Desk Mount up to 150 lbs (68 kg).
  - Freestanding (with or without casters) up to 800 lbs (362 kg).
- Grounding studs provided on frame as well as side panels and doors.
- · Finished in sand textured black powder paint.
- TAA compliant for GSA Schedule purchases.
- RoHS Compliant.
- Manufactured in North America.






**Product Enhancement Notice:** he In December of 2019, the SDC was changed to include punched square holes with 10-32 cage-nuts and screws. Previously, the product included round holes for clip-nuts. As this is a rolling change, the product you receive may feature either the clip nuts or cage nuts.

#### **Optional Accessory Features**

• Locking Vented Door includes a quarter turn key lock. The 63% perforation provides airflow for either the front and/or rear of the frame.



- Locking Cable/Fan Door includes two openings for rear cable entry that maintain security while allowing cables to enter the cabinet. The door also includes laser knockouts for optional fan kits.
- Conduit/Fan Panel mounts directly to either end of the cabinet providing secure mounting of 2.5", 2.0", 13/18", 13/4", 11/8" and/or 7/8" conduit knockouts. Also includes laser knockouts for optional fan kits.

### **Gallery**



#### **Accessories**

- Cable Management
- Magnet Panel Cover
- Fan Kits
- 10-32 Mounting Hardware

- Rack Panels
- Universal Rack Shelf
- Rack Unit Label
- Outlet Strips

	Ove	Overall Dimensions			Mounting (Usable) Dimensions		
Part No.	Height	Width	Depth	Units	Height	Width	Depth
SDC243U17BK	6.25	24.00	17.50	3U	5.25	19.00	15.50
SDC243U24BK	6.25	24.00	24.50	3U	5.25	19.00	22.50
SDC243U31BK	6.25	24.00	31.50	3U	5.25	19.00	29.50
SDC243U36BK	6.25	24.00	36.00	3U	5.25	19.00	34.00
SDC246U17BK	11.50	24.00	17.50	6U	10.50	19.00	15.50
SDC246U24BK	11.50	24.00	24.50	6U	10.50	19.00	22.50
SDC246U31BK	11.50	24.00	31.50	6U	10.50	19.00	29.50
SDC246U36BK	11.50	24.00	36.00	6U	10.50	19.00	34.00
SDC249U17BK	16.75	24.00	17.50	9U	15.75	19.00	15.50
SDC249U24BK	16.75	24.00	24.50	9U	15.75	19.00	22.50

	Ove	Overall Dimensions			Mour	Mounting (Usable) Dimensions		
Part No.	Height	Width	Depth	Units	Height	Width	Depth	
SDC249U31BK	16.75	24.00	31.50	9U	15.75	19.00	29.50	
SDC249U36BK	16.75	24.00	36.00	9U	15.75	19.00	34.00	

## **Optional Accessories**

Cabinet	Vented	Cable Entry/ Fan	Conduit/ Fan
Rack Units	Locking Door	Locking Door	Cover Panel
3U	SDC3UVD	SDC3USD	SDC3UCFP
6U	SDC6UVD	SDC6USD	SDC6UCFP
9U	SDC9UVD	SDC9USD	SDC9UCFP

## **Optional Caster Kit**

			Overall Height	Caster Set	Qty	Qty with		
		Wheel Added Hole Mounting Pattern			Weight	Included	Brakes	
Part No.	Strength	Diameter	to Cabinet	Width	Depth	Capacity	In Set	Included
1425BM	Medium Duty	3.00	3.81	1.75	3.00	700 lbs (318 kg)	4	0
1425BH	Heavy Duty	3.00	3.81	1.75	3.00	1050 lbs (476 kg)	4	0
1425BHLOCK	Heavy Duty	3.00	3.81	1.75	3.00	1050 lbs (476 kg)	4	4

Tags: Wall Mount, Server, Ceiling Rack, Under Desk, Side-Mount Rack, Security Lock Box, Louver,

Data subject to change without notice

Slim Wall Enclosure

<sup>© 2020.</sup> Hammond Manufacturing Ltd. All rights reserved.