0.88

0.47

SCHEMATIC
DOUBLE POLE DOUBLE THROW

0.19 THROW

0.28

0.34

3A. 125 VAC 0.5A. 125 VDC
SWITCHCRAFT INC.

0.078

0.156

0.064

0.281

0.281

0.53

0.23

0.295

0.125

0.125

NOTE:

1. ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED.

2. MATERIALS
   HOUSING - CRS, ZINC PLATED
   BUTTON - THERMOPLASTIC, BLACK
   TERMINALS & CONTACT SLIDER - COPPER ALLOY, SILVER PLATED
   TERMINAL BOARD - PHENOLIC

3. THIS PRODUCT IS RoHS COMPLIANT.

UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS IN INCHES
   - TWO PLACE DECIMALS   ±0.02
   - THREE PLACE DECIMALS ±0.005

SIZE	WIDTH	MULT	LBS/M	TEMPER
FINISH			MATERIAL	
SPEC No.			SPEC No.	

FIRST USED ON			SCALE 2:1

DATE DRAWN	BY	CHKD	APVD
2/19/09	RS	RS 2/19/09	TJK 2/19/09

Switchcraft®

SHEET 1 OF 1

A	26114	8/5/06	RS	TJK
REV	ECO NUMBER	DATE	BY	APVD

REVISIONS

DO NOT SCALE DRAWING

NAME
SLIDE SWITCH, RoHS

PART No.
C46206LRX

REV
A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Switchcraft](#):
  [C46206LRX](#) [46203LR](#)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Switchcraft](#):
  [46203LRX](#) [49331L](#) [49329L](#)