




| LOC | | DIST | | REVISIONS | | | |
|-----|----|------|-----|---------------------------|-----------|-----|------|
| AD | 00 | P | LTN | DESCRIPTION | DATE | DWN | APVD |
| | | G1 | | REVISED PER ECO-14-018035 | 11MAR2015 | AP | DD |





- ⚠ MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- ⚠ FINISH:
30μ" SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.
- 3. CONNECTORS SUPPLIED WITH MOUNTING SCREW.



SCALE 4:1

REFER TO WWW.TE.COM FOR PRODUCT AVAILABILITY



| KEY POSITION CHART | |
|--------------------|---|
| NONE | |
| A | E |
| B | F |
| C | G |
| D | H |

| KEY POSITION | FINISH | PART NUMBER |
|--------------|--------|-------------|
| H | ⚠ | 8-2057692-1 |
| G | ⚠ | 7-2057692-1 |
| F | ⚠ | 6-2057692-1 |
| E | ⚠ | 5-2057692-1 |
| D | ⚠ | 4-2057692-1 |
| C | ⚠ | 3-2057692-1 |
| B | ⚠ | 2-2057692-1 |
| A | ⚠ | 1-2057692-1 |
| NONE | ⚠ | 2057692-1 |

72X Ø0.39±0.05 PLATED THRU HOLE
 72X Ø0.48±0.013 DRILL HOLE
 Ø0.10

RECOMMENDED PCB LAYOUT
 MIN BOARD THICKNESS 1.0

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: D. HUMBERT 04FEB2011
 CHK: D. DIXON 04FEB2011
 APVD: D. DIXON 04FEB2011

TE TE Connectivity

NAME: IMPACT, 3 PAIR, DAUGHTERCARD 8 COLUMN, RIGHT GUIDED, SIGNAL MODULE, 0.39 EYELET

SIZE: A1 00779C=2057692

SCALE: 6:1 SHEET 1 OF 1 REV: G1