



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: N302-010

3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (ST/ST)



Highlights

- Premium PVC 62.5/125µm multimode patch cables
- Attenuation loss meets or exceeds the latest industry standards
- Loop-back cables provide an easier, "single-person" solution for testing fiber optic cable systems

Description

Tripp Lite's 10-ft. multimode duplex fiber optic ST/ST patch cable is manufactured from 62.5/125 zipcord fiber. The cable has ST connectors on each end, a PVC jacket and is FDDI and OFNR rated. Duplex multimode fiber is most commonly used in LAN applications.

System Requirements

- Any fiber optic hardware or NIC card requiring multimode duplex cable with ST/ST connectors

Package Includes



- 10-ft. duplex MMF cable ST/ST 62.5/125 fiber

Features

- Manufactured from 62.5/125 duplex (zipcord) fiber
- PVC jacket
- Length: 10-ft. Connectors: 2 ST connectors on each end
- Insertion loss testing performed on every connector (0.2db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded shrouds identify transmit and receive
- Duplex multimode fiber is most commonly used in LAN applications where links are typically 10 feet or less
- Fiber optic distributed data interface (FDDI) rated
- OFNR (riser rated)

Specifications

OVERVIEW	
Fiber Type	62.5/125 - OM1
Intended Application	Computer Networking (Fiber)
Cable Type	MULTIMODE 62.5/125 FIBER OPTIC

Network Speed	1Gbps
INPUT	
Cable Length (ft.)	10
Cable Length (m)	3.05
UPC Codes	
Unit Carton UPC#	037332013231
PHYSICAL	
Color	Orange
Style	Fiber Optic
CONNECTIONS	
Connector A	 ST
Connector B	 ST
CERTIFICATIONS	
Certifications	RoHS-Compliant
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

Related Items

Optional Products

Related Model	Description	Qty.
N302-003	1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (ST/ST)	1
N302-006	2M (6-ft.) Duplex MMF 62.5/125 Patch Cable (ST/ST)	1
N304-010	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (SC/ST)	1
N306-010	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (SC/SC)	1
N308-010	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/ST)	1
N310-010	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/SC)	1
N314-03M	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/LC)	1
N316-03M	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (LC/SC)	1
N318-03M	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)	1
N320-03M	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (LC/LC)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?variables.txtModelID=2162.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.