

1470-19 (3/11)

4





3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV ,2011.  
© COPYRIGHT 2011 By Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS |     |             |      |     |
|-----|------|-----------|-----|-------------|------|-----|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN |
| J   |      |           |     | SEE SHEET 1 |      |     |



カバーテープリーダー部  
外周1巻  
WIDE COVER TAPE AROUND  
OUT PERIPHERY 1 TURN  
剥離強度 0.1-1.3N MAX(300±10mm/min)  
PEELING STRENGTH  
剥離強度 165~180°  
PEELING ANGLE

引き出し方向  
TOP OF REEL

1000個/リール  
1000EA/REEL

HOLES  
15穴

空 部  
WITHOUT CHARGE  
160mm程度  
APPROX

製品装填部  
WITH PRODUCT CHARGE

空 部  
WITHOUT CHARGE  
400mm程度  
APPROX

|                                        |  |                                                   |                 |                                                        |  |  |
|----------------------------------------|--|---------------------------------------------------|-----------------|--------------------------------------------------------|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN                                               | TE Connectivity |                                                        |  |  |
|                                        |  | CHK                                               |                 |                                                        |  |  |
|                                        |  | APVD                                              |                 |                                                        |  |  |
| DIMENSIONS:<br>単位: 耗<br>MM             |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br>一般公差 |                 | NAME<br>名称                                             |  |  |
|                                        |  | 0 PLC                                             | ± -             | MICRO USB<br>RECEPTACLE STANDARD TYPE AB<br>FLANGELESS |  |  |
|                                        |  | 1 PLC                                             | ± -             |                                                        |  |  |
|                                        |  | 2 PLC                                             | ± -             |                                                        |  |  |
|                                        |  | 3 PLC                                             | ± -             | SIZE<br>CAGE CODE<br>DRAWING NO<br>番号                  |  |  |
|                                        |  | 4 PLC                                             | ± -             |                                                        |  |  |
|                                        |  | ANGLES                                            | ± -             | RESTRICTED TO                                          |  |  |
|                                        |  | FINISH<br>仕上                                      |                 |                                                        |  |  |
| MATERIAL<br>材料                         |  |                                                   |                 | A300779C-2134536                                       |  |  |
|                                        |  |                                                   |                 | SCALE<br>尺度 NTS                                        |  |  |
|                                        |  |                                                   |                 | SHEET<br>2 OF 3                                        |  |  |
|                                        |  |                                                   |                 | REV<br>A6                                              |  |  |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

NOV ,2011.

© COPYRIGHT 2011 By Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.

LOC  
JDIST  
/

REVISIONS

変更

P

LTR



DESCRIPTION

DATE


DWN

APVD

SEE SHEET 1

CONNECTOR INSERTION OPENING  
(HOLD SHELL)CONNECTOR BACK SIDE  
(HOLD SHELL AND HOUSING)

GUIDE CASE FOR WRENCHING (REFERENCE)

SELECTIVE PLATING AREA (A3)  
(Sn PLATING AREA)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
単位: 耗  
MMTOLERANCES UNLESS  
OTHERWISE SPECIFIED:  
一般公差0 PLC ± -  
1 PLC ± -  
2 PLC ± -  
3 PLC ± -  
4 PLC ± -  
ANGLES ± -MATERIAL  
材料FINISH  
仕上

DWN

CHK

APVD

PRODUCT SPEC  
製品規格APPLICATION SPEC  
取付適用規格

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME  
名称MICRO USB  
RECEPTACLE STANDARD TYPE AB  
FLANGELESS

SIZE

CAGE CODE

DRAWING NO  
番号

RESTRICTED TO

A3 00779

C-2134536

SCALE  
尺度 NTS

SHEET

3 OF 3

REV

A6