








Copyright FCI.

PRODUCT NUMBER SEE SHEET 2



spec ref				dr		Peng-Bing Fu	2012/04/23		projection				size		A3		scale		3:2								
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Peng-Bing Fu		2012/11/13						ecn no		ELX-DG-013146-1									
ASME Y14.5						chr		Tian-Xu Huang		2012/11/13																	
						appr		Pei-Ming Zheng		2012/11/13																	
						product family				PowerBlade+				rel level				Released									
surface				linear		0.X		±0.50				title						8HDP		dwg no		10106139-8000001		rev		B	
				0.XX		±0.25																					
				0.XXX		±0.10																					
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.				Product - Customer Drw				sheet 1 of 3									

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.
- 10) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE
WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref				dr		Peng-Bing Fu		2012/04/23		projection		MM		size		A3		scale		1:1									
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Peng-Bing Fu		2012/11/13						ecn no		ELX-DG-013146-1											
ASME Y14.5						chr		Tian-Xu Huang		2012/11/13																			
						appr		Pei-Ming Zheng		2012/11/13																			
												product family		PowerBlade+		rel level		Released											
surface				linear		0.X		±0.50				title		8HDP		dwg no		10106139-8000001		rev		B							
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3															



Copyright FCI.