



LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
GP	00	B	REVISED PER ECR-18-013640	28AUG2018	IT SH





2227303-1, -2, -3, -7
 1-2227303-2




- △ MATERIAL: 0.25mm THICK STAINLESS STEEL.
- △ FINISH: 0.00125mm Min. NICKEL OVER ALL , 0.002mm Min. TIN DIPPED ON SOLDER TABS, NON PLATED EDGES PERMISSIBLE.
- 3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- △ PADS AND VIAS CHASSIS GROUND.
- △ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 6. MINIMUM PC BOARD THICKNESS:
 SINGLE SIDED = 1.50 mm
- △ REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- △ REFERENCE APPLICATION SPEC. 114-13120, HOLE C, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- △ ESD PROTECTION PACKAGE.
- △ PRELIMINARY PART- NOT RELEASED FOR PRODUCTION
- △ WITHOUT EMI SPRING
- △ WITH CUSTOMIZED HEATSINK OPEN



1-2227303-1





2-2227303-2




△	DESCRIPTION	QTY	PART NUMBER
△	TRAY	1.25	2-2227303-2
△	TRAY	3.55	1-2227303-1
△	TRAY	3.55	2227303-7
△	REEL	1.80	1-2227303-2
	TRAY	1.80	2227303-3
	REEL	1.80	2227303-2
	TRAY	3.55	2227303-1
	PACKAGING	A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN: C. VALENTINE 19OCT2012	TE Connectivity NAME: SFP, 1X1 SINGLE PIECE CAGE, SOLDER PIN PRODUCT SPEC: 108-1950 APPLICATION SPEC: 114-13120
DIMENSIONS: mm		CHK: M. SCHMITT 19OCT2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. SCHMITT 19OCT2012	SIZE: A1
0 PLC	±0.1	RESTRICTED TO	SCALE: 3:1
1 PLC	±0.1		SHEET 1 OF 3
2 PLC	±0.1		REV B
3 PLC	±0.1		
4 PLC	±0.1		
ANGLES	±°		
MATERIAL	FINISH	WEIGHT	
		Customer Drawing	

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-





SECTION L-L





SECTION K-K
SCALE 2:1

2227303-2 / 1-222303-2 REEL PACKAGING



2-2227303-2 AS SHOWN
 UNMARKED DIMENSIONS SAME AS 2227303-1
 SCALE 5:1



(A)
 APPLIED ALL PINS

2227303-7
 UNMARKED DIMENSIONS SAME AS 2227303-1
 SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M 2009		DWN C. VALENTINE 19OCT2012	TE Connectivity
DIMENSIONS: mm		CHK M. SCHMITT 19OCT2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. SCHMITT 19OCT2012	NAME SFP, 1X1 SINGLE PIECE CAGE, SOLDER PIN
0 PLC ±0.1	1 PLC ±0.1	PRODUCT SPEC 108-1950	SIZE 114-13120
2 PLC ±0.1	3 PLC ±0.1	APPLICATION SPEC	RESTRICTED TO
4 PLC ±0.1	ANGLES ±°	WEIGHT	A100779C=2227303
MATERIAL	FINISH	Customer Drawing	SCALE 3:1 SHEET 3 OF 3 REV B