





PRODUCT NUMBER SEE SHEET 2





spec ref	*	dr	Rainbow Zhan	2014/06/18	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2014/07/03	chr	Li-He	2014/07/03	ecn no	-	
		appr	Pei-Ming Zheng	2014/07/03	product family	PwrBlade+	rel level	Released		
surface	✓	linear	0.X	±0.5	FCI	108S + 5LP	dwg no	10106262-0527001	rev	A
			0.XX	±0.25		RA STB HEADER				
			0.XXX	±0.10						
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3			




Copyright FCI.



CODE	DESCRIPTION
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Rainbow Zhan	2014/06/18	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2					
eng	Rainbow Zhan	2014/07/03			ecn no		-						
chr	Li-He	2014/07/03											
appr	Pei-Ming Zheng	2014/07/03	product family		PwrBlade+	rel level			Released				
<div>FCi</div>		title			108S + 5LP			dwg no		10106262-0527001	rev		A
		RA STB HEADER											
www.fci.com		cat. no.			Product - Customer Drw			sheet 2 of 3					



CODE	DESCRIPTION
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)



CODE	DESCRIPTION
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Rainbow Zhan	2014/06/18	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2					
eng	Rainbow Zhan	2014/07/03			ecn no		-						
chr	Li-He	2014/07/03											
appr	Pei-Ming Zheng	2014/07/03	product family		PwrBlade+	rel level			Released				
<div>FCi</div>		title			108S + 5LP			dwg no		10106262-0527001	rev		A
		RA STB HEADER											
www.fci.com		cat. no.			Product - Customer Drw			sheet 2 of 3					

CODE	DESCRIPTION
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Rainbow Zhan	2014/06/18	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2				
eng	Rainbow Zhan	2014/07/03			ecn no		-					
chr	Li-He	2014/07/03			rel level		Released					
appr	Pei-Ming Zheng	2014/07/03			product family		PwrBlade+					
<div>FCi</div>		title			108S + 5LP		dwg no		10106262-0527001		rev	
		RA STB HEADER									A	
www.fci.com		cat. no.			Product - Customer Drw					sheet 2 of 3		

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2014/06/18	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2				
eng	Rainbow Zhan	2014/07/03			ecn no			-				
chr	Li- He	2014/07/03			rel level			Released				
appr	Pei-Ming Zheng	2014/07/03	product family		PwrBlade+							
<div>www.fci.com</div>			title			108S + 5LP		dwg no	10106262-0527001	rev	A	
			cat. no.			Product - Customer Drw			sheet 3 of 3			