




## 24 FIBER DUPLEX LC CASSETTE - METHOD A

PART NUMBER	DESCRIPTION
FC2Z0-24-10AS	24 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-24-10AS	24 FIBER 50/125um OM4
FC2X0-24-10AS	24 FIBER 50/125um 10 GbE OM3 OPTIMIZED
FC2XN-24-10AS	24 FIBER 50/125um 10 GbE OM3
FC25N-24-10AS	24 FIBER 50/125um OM2
FC26N-24-10AS	24 FIBER 62.5/125um OM1
FC29N-24-10AS	24 FIBER 9/125um OS1



REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY	DATE	CHK	SCALE	SHT 2 OF 3	SIZE
R	10-01-12	SAT	TMSE		RELEASED TO PRODUCTION	10F113AB-DC	SAT	10-01-12	TMSE	NONE		A


<b>24 FIBER DUPLEX LC CASSETTE METHOD A</b> CUSTOMER DRAWING		
ITEM REVISION NAME 10F113AB/00	DATASET FILE NAME 10F113AB_DC/00A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)		MATERIAL: SEE NOTES SHEET 1
.x : .03 ( .8 ) .xx : .01 ( .25 )	.xxx : .005 ( .127 ) ANGLES : 5 °	DRAWING NUMBER: <b>10F113AB-DC</b>
THIRD ANGLE PROJECTION		

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

24 FIBER DUPLEX LC CASSETTE - METHOD A, PAIR FLIPPED	
PART NUMBER	DESCRIPTION
FC2Z0-24-10AF	12 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-24-10AF	12 FIBER 50/125um OM4
FC2X0-24-10AF	12 FIBER 50/125um 10 GbE OM3 OPTIMIZED
FC2XN-24-10AF	12 FIBER 50/125um 10 GbE OM3
FC25N-24-10AF	12 FIBER 50/125um OM2
FC26N-24-10AF	12 FIBER 62.5/125um OM1
FC29N-24-10AF	12 FIBER 9/125um OS1



METHOD A, PAIR FLIPPED - FIBER LAYOUT

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY	DATE	CHK	SCALE	SHT 3 OF 3	SIZE
R	10-01-12	SAT	TMSE		RELEASED TO PRODUCTION	10F113AB-DC	SAT	10-01-12	TMSE	NONE		A

**TITLE**  
24 FIBER DUPLEX LC CASSETTE  
METHOD A, PAIR FLIPPED  
CUSTOMER DRAWING

ITEM REVISION NAME  
10F113AB/00

DATASET FILE NAME  
10F113AB\_DC/00A

UNLESS OTHERWISE SPECIFIED,  
DIMENSIONAL TOLERANCES ARE: IN (mm)  
.x : .03 ( .8 )      .xxx : .005 ( .127 )  
.xx : .01 ( .25 )      ANGLES : 5 °

**PANDUIT**™

MATERIAL:  
SEE NOTES SHEET 1

DRAWING NUMBER:  
**10F113AB-DC**

THIRD ANGLE PROJECTION

2

1