


24 FIBER DUPLEX LC CASSETTE - METHOD A

PART NUMBER	DESCRIPTION
FC2Z0-24-10AS	24 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-24-10AS	24 FIBER 50/125um OM4
FC2X0-24-10AS	24 FIBER 50/125um 10 GbE OM3 OPTIMIZED
FC2XN-24-10AS	24 FIBER 50/125um 10 GbE OM3
FC25N-24-10AS	24 FIBER 50/125um OM2
FC26N-24-10AS	24 FIBER 62.5/125um OM1
FC29N-24-10AS	24 FIBER 9/125um OS1



REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY	DATE	CHK	SCALE	SHT 2 OF 3	SIZE
R	10-01-12	SAT	TMSE		RELEASED TO PRODUCTION	10F113AB-DC	SAT	10-01-12	TMSE	NONE		A


24 FIBER DUPLEX LC CASSETTE METHOD A CUSTOMER DRAWING	
ITEM REVISION NAME 10F113AB/00	
DATASET FILE NAME 10F113AB_DC/00A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)	
.x : .03 (.8) .xx : .01 (.25)	.xxx : .005 (.127) ANGLES : 5 °
THIRD ANGLE PROJECTION	
MATERIAL: SEE NOTES SHEET 1	
DRAWING NUMBER: 10F113AB-DC	

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

24 FIBER DUPLEX LC CASSETTE - METHOD A, PAIR FLIPPED	
PART NUMBER	DESCRIPTION
FC2Z0-24-10AF	12 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-24-10AF	12 FIBER 50/125um OM4
FC2X0-24-10AF	12 FIBER 50/125um 10 GbE OM3 OPTIMIZED
FC2XN-24-10AF	12 FIBER 50/125um 10 GbE OM3
FC25N-24-10AF	12 FIBER 50/125um OM2
FC26N-24-10AF	12 FIBER 62.5/125um OM1
FC29N-24-10AF	12 FIBER 9/125um OS1



METHOD A, PAIR FLIPPED - FIBER LAYOUT

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY	DATE	CHK	SCALE	SHT 3 OF 3	SIZE
R	10-01-12	SAT	TMSE		RELEASED TO PRODUCTION	10F113AB-DC	SAT	10-01-12	TMSE	NONE		A

TITLE
24 FIBER DUPLEX LC CASSETTE
METHOD A, PAIR FLIPPED
CUSTOMER DRAWING

ITEM REVISION NAME
10F113AB/00

DATASET FILE NAME
10F113AB_DC/00A

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE: IN (mm)
.x : .03 (.8) .xxx : .005 (.127)
.xx : .01 (.25) ANGLES : 5 °

PANDUIT™

MATERIAL:
SEE NOTES SHEET 1

DRAWING NUMBER:
10F113AB-DC

THIRD ANGLE PROJECTION

2

1