


SEE SHEETS 2 AND 3 FOR ARTWORK DETAILS

FRONT VIEW

SHOWN W/O DUSTCAPS

NOTES:

- SEE CURRENT CATALOG FOR PART NUMBER SUFFIXES TO INDICATE COLOR AND/OR PACKAGE QUANTITIES.
- SEE CATALOG FOR COMPLETE LIST OF PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
- PART NUMBERS:
 - SEE SHEET 2 FOR METHOD A.
 - SEE SHEET 3 FOR METHOD A, PAIR FLIPPED.
- THESE CASSETTES COMPLY WITH ANSI/TIA-568-C.0. SEE ANSI/TIA-568-C.0 FOR POLARITY DETAILS AND EXAMPLES OF BASIC LINK.
- MATERIALS:
 - BOX AND LID: PLASTIC
 - ADAPTER: COMPOSITE PLASTIC
- CASSETTE WEIGHT: 4.16oz [118g]
- DIMENSIONS IN BRACKETS ARE METRIC.




| | | | | | | | | | | | |
|---|----------|-----|------|--|------------------------|--|--|--|--|--|-------------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| R | 10-01-12 | SAT | TMSE | | RELEASED TO PRODUCTION | | | | | | 10F113AB-DC |

| | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|
| <p>TITLE</p> <p>24 FIBER DUPLEX LC CASSETTE METHOD A AND METHOD A, PAIR FLIPPED</p> <p>CUSTOMER DRAWING</p> | | | | | | | | | | | |
| <p>ITEM REVISION NAME</p> <p>10F113AB/00</p> | | | | | | | | | | | |
| <p>DATASET FILE NAME</p> <p>10F113AB_DC/00A</p> | | | | | | | | | | | |
| <p>UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]</p> <p>.x : .03 [.8] .xxx : .005 [.127] .xx : .01 [.25] ANGLES : 5 °</p> | | | | | | | | | | | |
| <p>MATERIAL:</p> <p>SEE NOTES</p> | | | | | | | | | | | |
| <p>DRAWING NUMBER:</p> <p>10F113AB-DC</p> | | | | | | | | | | | |
| <p>THIRD ANGLE PROJECTION</p> | | | | | | | | | | | |

| | | | | | | | | | | | | |
|-----|------|----|-----|-----|-------------|-----|----------|----------|------|-------|----------------|------|
| REV | DATE | BY | CHK | APR | DESCRIPTION | ECN | DRAWN BY | DATE | CHK | SCALE | DRAWING NUMBER | SIZE |
| | | | | | | | SAT | 10-01-12 | TMSE | NONE | SHT 1 OF 3 | A |

| 24 FIBER DUPLEX LC CASSETTE - METHOD A | |
|--|--|
| PART NUMBER | DESCRIPTION |
| FC2Z0-24-10AS | 24 FIBER 50/125um OM4 OPTIMIZED |
| FC2ZN-24-10AS | 24 FIBER 50/125um OM4 |
| FC2X0-24-10AS | 24 FIBER 50/125um 10 GbE OM3 OPTIMIZED |
| FC2XN-24-10AS | 24 FIBER 50/125um 10 GbE OM3 |
| FC25N-24-10AS | 24 FIBER 50/125um OM2 |
| FC26N-24-10AS | 24 FIBER 62.5/125um OM1 |
| FC29N-24-10AS | 24 FIBER 9/125um OS1 |



METHOD A - FIBER LAYOUT


| | | | | | TITLE 24 FIBER DUPLEX LC CASSETTE METHOD A CUSTOMER DRAWING | | | | | | | |
|-----|----------|-----|------|------------------------|--|-----------------|------------------|-------------|---------------|------------|------------|------|
| | | | | | ITEM REVISION NAME 10F113AB/00 | | | | | | | |
| | | | | | DATASET FILE NAME 10F113AB_DC/00A | | | | | | | |
| | | | | | UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) .x : .03 (.8) .xxx : .005 (.127) .xx : .01 (.25) ANGLES : 5 ° | | | | | | | |
| | | | | | MATERIAL: SEE NOTES SHEET 1 | | | | | | | |
| | | | | | DRAWING NUMBER: 10F113AB-DC | | | | | | | |
| R | 10-01-12 | SAT | TMSE | RELEASED TO PRODUCTION | 10F113AB-DC | DRAWN BY SAT | DATE 10-01-12 | CHK TMSE | SCALE NONE | SHT 2 OF 3 | SIZE A | |
| REV | DATE | BY | CHK | APR | DESCRIPTION | ECN | DRAWN BY | DATE | CHK | SCALE | SHT 2 OF 3 | SIZE |

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

| 24 FIBER DUPLEX LC CASSETTE - METHOD A, PAIR FLIPPED | |
|--|--|
| PART NUMBER | DESCRIPTION |
| FC2Z0-24-10AF | 12 FIBER 50/125um OM4 OPTIMIZED |
| FC2ZN-24-10AF | 12 FIBER 50/125um OM4 |
| FC2X0-24-10AF | 12 FIBER 50/125um 10 GbE OM3 OPTIMIZED |
| FC2XN-24-10AF | 12 FIBER 50/125um 10 GbE OM3 |
| FC25N-24-10AF | 12 FIBER 50/125um OM2 |
| FC26N-24-10AF | 12 FIBER 62.5/125um OM1 |
| FC29N-24-10AF | 12 FIBER 9/125um OS1 |



METHOD A, PAIR FLIPPED - FIBER LAYOUT

| | | | | | | | | | | | | | | |
|-----|----------|-----|------|------------------------|-------------|--|--|-----|-----------------|------------------|-------------|---------------|------------|-----------|
| | | | | | | | TITLE 24 FIBER DUPLEX LC CASSETTE METHOD A, PAIR FLIPPED CUSTOMER DRAWING | | | | | | | |
| | | | | | | | ITEM REVISION NAME 10F113AB/00 | | | | | | | |
| | | | | | | | DATASET FILE NAME 10F113AB_DC/00A | | | | | | | |
| | | | | | | | UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) .x : .03 (.8) .xxx : .005 (.127) .xx : .01 (.25) ANGLES : 5 ° | | | | | | | |
| | | | | | | | MATERIAL: SEE NOTES SHEET 1 | | | | | | | |
| | | | | | | | DRAWING NUMBER: 10F113AB-DC | | | | | | | |
| R | 10-01-12 | SAT | TMSE | RELEASED TO PRODUCTION | | | 10F113AB-DC | | | | | | | |
| REV | DATE | BY | CHK | APR | DESCRIPTION | | | ECN | DRAWN BY SAT | DATE 10-01-12 | CHK TMSE | SCALE NONE | SHT 3 OF 3 | SIZE A |

2

1