THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	04JUN2015	DL	CW
	A1	ECR-16-004472	29MAR2016	BS	CW
	A2	ECR-16-012130	24AUG2016	QY	CW
	A3	ECR-16-013642	11NOV2016	BS	CW

TYPE-1:TOP ENTRY WITH ONE HOLE
类型-1:顶出一个孔





NOTES:
1. TECHNICAL CHARACTERISTICS:
   BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE TREATMENT: POWDER-COATED, GRAY
   DEGREE OF PROTECTION: IP65 (MATED)

注释:
1. 技术参数:
   主体材料: 铝合金
   表面处理: 粉末喷涂,灰色
   防护等级: IP65(配合)





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN DAVID LI 04JUN2015
CHK CHRIS WANG 04JUN2015
APVD XU XIANG 04JUN2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity

NAME H32B-TBF-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-T17103221XX000	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 3 | REV A3

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEEL 1	-	-	-

TYPE-2:TOP ENTRY WITH TWO HOLES
类型-2:顶出两个孔





NOTES:
SEE SHEET 1





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -
- -

DWN DAVID LI 04JUN2015
CHK CHRIS WANG 04JUN2015
APVD XU XIANG 04JUN2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -
CUSTOMER DRAWING

TE Connectivity

NAME H32B-TBF-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-T1710322IXX000	-

SCALE 1:1 SHEET 2 OF 3 REV A3

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY -
ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEEL 1	-	-	-

NOTES:
SEE SHEET 1

PART NUMBER 料 号	PART DESCRIPTION 描 述		PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	TYPE 类 型
1-1710322225-000	H32B-TBF-2M25	H32B HOUSING,CABLE-TO-CABLE, TOP ENTRY 2M25, METAL DOUBLE LOCKING, LOW CONSTRUCTION, POWDER COATED, GREY H32B下壳,电缆对接,顶出2M25,彩锌双扣,低结构,灰色粉末喷涂	M25	M25	TYPE-2 类型-2
1-1710322121-000	H32B-TBF-PG21	H32B HOUSING,CABLE-TO-CABLE, TOP ENTRY PG21, METAL DOUBLE LOCKING, LOW CONSTRUCTION, POWDER COATED, GREY H32B下壳,电缆对接,顶出PG21,彩锌双扣,低结构,灰色粉末喷涂	PG21	-	TYPE-1 类型-1
1-1710322129-000	H32B-TBF-PG29	H32B HOUSING,CABLE-TO-CABLE, TOP ENTRY PG29, METAL DOUBLE LOCKING, LOW CONSTRUCTION, POWDER COATED, GREY H32B下壳,电缆对接,顶出PG29,彩锌双扣,低结构,灰色粉末喷涂	PG29	-	
1-1710322132-000	H32B-TBF-M32	H32B HOUSING,CABLE-TO-CABLE, TOP ENTRY M32, METAL DOUBLE LOCKING, LOW CONSTRUCTION, POWDER COATED, GREY H32B下壳,电缆对接,顶出M32,彩锌双扣,低结构,灰色粉末喷涂	M32	-	
1-1710322136-000	H32B-TBF-PG36	H32B HOUSING,CABLE-TO-CABLE, TOP ENTRY PG36, METAL DOUBLE LOCKING, LOW CONSTRUCTION, POWDER COATED, GREY H32B下壳,电缆对接,顶出PG36,彩锌双扣,低结构,灰色粉末喷涂	PG36	-	
1-1710322140-000	H32B-TBF-M40	H32B HOUSING,CABLE-TO-CABLE, TOP ENTRY M40, METAL DOUBLE LOCKING, LOW CONSTRUCTION, POWDER COATED, GREY H32B下壳,电缆对接,顶出M40,彩锌双扣,低结构,灰色粉末喷涂	M40	-	
1-1710322134-000	H32B-TBF-G3/4	H32B HOUSING,CABLE-TO-CABLE, TOP ENTRY G3/4, METAL DOUBLE LOCKING, LOW CONSTRUCTION, POWDER COATED, GREY H32B下壳,电缆对接,顶出G3/4,彩锌双扣,低结构,灰色粉末喷涂	G3/4	-	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN DAVID LI 04JUN2015
CHK CHRIS WANG 04JUN2015
APVD XU XIANG 04JUN2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME H32B-TBF-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-1710322XXX000	-

SCALE 1:1 SHEET 3 OF 3 REV A3